

OMNITRONIC TMC-2 MK2 Interface incl. VDJ

No. 11045043

- + USB MIDI controller and audio interface
- + Virtual DJ 7 LE
- + XLR/RCA outputs
- + Headphones output
- + Microphone input
- + Compatible to any MIDI controlled audio software

MP3

USB

PCconnect

- USB MIDI controller with integrated 4-channel sound card for DJs
- Play, mix and scratch digital audio like vinyl records
- Compatible to any MIDI controlled audio software, all MIDI controllers can be edited and freely assigned
- Optimized for control of the powerful audio and video mixing software Virtual DJ
- Supplied with Virtual DJ 7 Limited Edition, can be upgraded at discount price
- Supports all standard codecs, e.g. MP3, WAV, WMA, OGG, M4A, AAC, AVI, MPEG
- Integrated plug&play audio interface with high-resolution AD/DA converters (16 bits/48 kHz), applicable for Windows XP/Vista/7 and Mac OS X
- Adjustable DJ microphone input
- Line input for the master signal
- Master output and booth output for PA applications with separate level controls and selectable source (PC signal or line input)
- Master output bass control
- Additional recording output
- Headphones output with level control for direct monitoring
- 2-channel mixer section:
 - 3-band EQ, gain control and level fader per channel
 - Ultra-smooth crossfader with adjustable curve
 - Cue function with 3 hot cues
 - LED level display
 - Extra large track encoder for quick music library browsing
- Dual player section:
 - Touch-sensitive jog dials with mode selector: pitch bend, scratch, fast search
 - Automatic beat detection and beat mixing
 - Beat-accurate loops and samples
 - Master Tempo (tonal pitch remains constant)
 - Effect units with controls for selection and parameters
 - Sample players with LED display, and controls for selection and level
- Powered via USB or included PSU
- Incl. USB cable
- Fully functional home version of the software available under virtualdj.com



Technical specifications:

Type:	USB MIDI controller
Power supply:	5 V DC, 500 mA via USB port or 5 V DC, 1000 mA via supplied PSU
Inputs:	
DJ microphone:	3-pin XLR and 6.3 mm jack, bal.
Line:	stereo RCA
Outputs:	
Master:	3-pin stereo XLR and stereo RCA
Booth:	stereo RCA
Rec:	stereo RCA
Headphones:	3.5 mm and 6.3 mm jack, bal.
USB port:	2.0, type B
Converter:	16 bits
Sample rate:	48 kHz
Dimensions:	360 x 260 x 70 mm
Weight:	1.7 kg