

MIC 85PRO

D Dynamisches Mikrofon

E Dynamic Microphone



Das MIC 85PRO ist ein dynamisches Mikrofon mit Nierencharakteristik konzipiert für Studio- und Live-Einsätze. Egal welche Bühne oder Musikrichtung zum Einsatz kommt, das 85PRO fühlt sich überall wohl. Es zeichnet sich durch eine hervorragende Stimmwiedergabe aus und besitzt eine sehr hohe Rückkopplungssicherheit. Auch wenn dieses Mikrofon mal härter behandelt wird oder herunterfällt, so schnell ist es nicht kaputt zu kriegen. Zum Lieferumfang gehören eine Halterung und ein Adapter.

Inbetriebnahme

Schrauben Sie die Halterung auf ein Stativ und klemmen Sie das Mikrofon hinein. Verwenden Sie bei Stativen mit 1-cm-Gewinde die beiliegende Adapterschraube. Schließen Sie das Mikrofon über ein Mikrofonkabel an den symmetrischen Mikrofoneingang Ihres Audiogerätes (z. B. Mischpult) an.

Hinweise

Verwenden Sie zur Reinigung ein trockenes Tuch. Wartungs- und Servicearbeiten sind ausschließlich dem autorisierten Fachhandel vorbehalten. Schäden, die durch manuelle Veränderungen an diesem Produkt verursacht werden, fallen nicht unter den Garantieanspruch. Wird das Produkt zweckentfremdet oder falsch angeschlossen, kann dies zu Schäden führen und der Garantieanspruch erlischt. Schützen Sie das Mikrofon vor Feuchtigkeit und Hitze. Die Umgebungstemperatur muss zwischen -5°C und $+45^{\circ}\text{C}$ liegen.

Technische Daten

Modell:	MIC 85PRO
Typ:	Dynamisch
Richtcharakteristik:	Niere
Frequenzbereich:	50 Hz – 17 kHz
Impedanz:	350 Ω
Empfindlichkeit:	-54 dB (\pm 3 dB)
Gewicht:	274 g
Artikelnummer:	13030912

Änderungen vorbehalten

The MIC 85PRO is a dynamic microphone with cardioid characteristic designed for studio and live applications. This microphone feels at ease everywhere – no matter which stage or genre. It has an extraordinary reproduction of the voice offering feedback stability at the same time. Thanks to a rugged metal construction, rough handling or drops do not pose a threat to the MIC 85PRO. The microphone is supplied with holder and adapter.

Use

Screw the holder onto a stand and insert the microphone. For stands with 1 cm thread use the supplied adapter screw. Connect the microphone via an XLR cable to the microphone input of your audio unit (e.g. mixing console).

Notes


For cleaning only use a dry cloth. Maintenance and service operations are only to be carried out by authorized dealers. Damage, caused by manual modifications on this product is not subject to warranty. If the product is used for other purposes than originally intended or if it is not correctly connected, it may suffer damages and the guarantee becomes void. Protect the product against humidity and heat. The ambient temperature must always be between -5°C and $+45^{\circ}\text{C}$.

Technical Specifications

Model:	MIC 85PRO
Type:	Dynamic
Polar pattern:	Cardioid
Frequency range:	50 Hz – 17 kHz
Impedance:	350 Ω
Sensitivity:	-54 dB (\pm 3 dB)
Weight:	274 g
Item no.:	13030912

Subject to change

Richtcharakteristik | Polar Pattern



Frequenzbereich | Frequency Range

