



OMNITRONIC HS-105 Headset microphone WAMS-05

Headset microphone for TM-105

- For high-quality voice pickup

No. 13056011

Technical specifications:

Type:	Condenser
Directivity pattern:	Omnidirectional
Frequency response:	20-20000 Hz
Sensitivity:	-45 dB (± 3 dB)
Impedance:	1000 ohms (± 30 %)
Power supply:	1.5-16 V DC
Connection:	3.5 mm stereo mini jack plug
Cable length:	1.2 m
Weight:	20 g

OMNITRONIC HM-105 Wireless microphone WAMS-05

High-quality hand-held microphone for W.A.M.S.-05

- Charger available
- Operation in the UHF-band 863,1-864,9 MHz
- License-free and approved in the EU



Technical specifications:

Carrier frequency:	UHF 863.100-864.900 MHz
Frequency stability:	± 0.005 %
RF power output:	10 mW
Polar pattern:	Omnidirectional
Frequency response:	70 Hz-16 kHz
Range:	approx. 30 m
Power supply:	2 x 1.5 V mignon batteries (type AA)/ 2 x 1.2 V rechargeable batteries (type AA)
Battery life:	13 hours (1.5 V mignon)
Rechargeable battery life:	8 hours (1300 mA)
Charging time:	approx. 4 hours (1300 mA)
Dimensions (DxL):	40 x 260 mm
Weight:	250 g

No. 13055098

No. 13107988 Charger

OMNITRONIC BHD-02 Waistband amplifier

Extremely compact 5 W waistband amplifier

- Waistband amplifier with active speaker and headset microphone
- Ideal for professional promotion events "on the road" or for hobby promotion shows
- For voice amplification with up to 50 listeners
- 1 x Aux In
- Tone and volume control
- Up to 8 hours battery operation



No. 11038882

Technical specifications:

Power supply:	9 V DC
via power unit:	9 V DC, 300 mA
via batteries:	6 x 1.5 V Mignon (AA)
Power consumption:	3 W
Nominal power output:	5 W RMS
Maximum power output:	8 W
S/N ratio:	50 dB
Recharging time:	10 hours
Microphone type:	Uni-directional electret headset microphone
Microphone input:	3.5 mm jack socket
Audio input:	3.5 mm jack socket
Dimensions:	140 x 100 x 50 mm
Weight:	230 g