

QUADLOCK GL400 NEW

QUADLOCK GL400 is a 4-point truss system made of aluminum. The individual elements are connected via four cones, pivots and pins. QUADLOCK GL400 is made of EN-AW 6082 T6 (AlMgSi1 T6) alloy for even higher loads.

The advantage of the conical connection system is that the cones completely fit into the main chords so that highest load capacity is guaranteed. The Quick-Lock system enables fast, efficient and highly aesthetic assembly when the truss constructions are frequently assembled and dismantled.

The four main chords are made of 50 mm aluminum tube with 3 mm wall thickness and offer a good relation between strength and weight. The braces have a diameter of 25 mm with 3 mm wall thickness and provide stability for this truss system.

With 400 mm outer dimensions, QUADLOCK GL400 is a stable truss system for higher loads and extended durability. This system is mainly designed for intense use in stage installations, fair installations, event installations but also for permanent installations in discotheques and theaters. Its polished surface makes this universal system a real eye-catcher. Due to its wide range of standard system lengths, corners and accessory, this system is highly versatile and offers unlimited design possibilities.

ALUTRUS elements are made in Europe and welded by specially trained welders certified by the German SLV association.

- Systems are available in RAL and special varnishing on request
- All sizes available
- Near-term delivery



**ALUTRUS QUADLOCK
GL400 4-way cross beam**

No. 6030629A	GL400-500
No. 6030629C	GL400-1000
No. 6030629E	GL400-1500
No. 6030629G	GL400-2000
No. 6030629J	GL400-2500
No. 6030629L	GL400-3000
No. 6030629N	GL400-3500
No. 6030629P	GL400-4000
No. 6030629R	GL400-5000

