

# **PROJECTOR MOUNT**



Projector mount should be installed by more than two specialists

#### **DETAILS DRAWING**



1 Concrete ancher helt
1. Concrete anchor bolt3 2. Flat head screw-1
2. Flat head screw-1
3. Flat head screw-2
4. Wall plate1
5. Connector axis1
6. Plastic part of outer tube1
7. Connector parts2
8. Outer tube1
9. Connector arm screw
10. Plastic cover2
11. Plastic part of inner tube
12. Plug1
13. Flat head wood screw
13. Flat nead wood screw
14. Adjusted pin
15. Adjusted spring1 16. Internal tube
16. Internal tube1
17. Connector axis1
18. Flathead screw1
19. Locknut1
20. Connector tube
21. Screws2
22. Turning connector
23. Column screw1
24. Univeral round connector1
25. Screws
26. Installation foot
27. Installation branch foot
28. Washer for rotate axis
29. Arc washer
30 Fixing plate1


#### **∴WARNING**:

- 1. The ceiling plate must be installed firmly and tightly. It can be installed on concrete wall, solid wall and solid wood wall. Do not install it on hollow and floppy walls.
- 2. Tighten screw so that ceiling plate is attached firmly, but do not over tighten. Over tighten can damage the screws, and greatly reduce their holding power.
- 3. Do not remove screw or loosen screw until it is no longer engaged with the mount. Doing so may cause the projector fall down.
- 4. For security option, tighten all the screws with security allen wrench.


## PARTS LIST

1	Connec	3	19		1
2		1	20		1
3		2	21		2
4		1	22		1
5		1	23		1
6		1	24		1
7		2	25)		4
8		1			4
9		4	26		4
10		2	27		4
11)		1	28		1
12		1	29	0	1
13	<b>~****************************</b> ()	3	30		1
14)		1			
15)		1			
16)		1			
17		1			
18		1			


## **INSTALLATION OPTION 1**



#### **INSTALLATION OPTION 2**





#### INSTALLATION DETAILS



- 1. Connect A-1 subassembly and line box as per drawing.
- 2. Make a mark for drilling holes on ceiling, then drill a hole by drill tool as per Drawing.
- 3. Fixing A-1 subassembly on ceiling by part 1 & 13 as per drawing.








- 1. Fixing A-2 subassembly in A-1 subassembly by part 9 & 13 as perdrawing.
- 2. Setting B-1 & 20 subassembly on projector unit by part 9.

3



Setting B-2 subassembly on projector unit by part 23 as per drawing.

4

- 1. Placing all lines into line box of A subassembly as per drawing.
- 2. Seting part 10 on A parts, then fixing part 12 on it.
- 3. Setting part A & B by part 18.
- 4. Refer to drawing showing to adjust projector to meet with your wanted angle when finish setting.

