



PAR 36

4594 28.0V

24891

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent









Product data

Cap/Base	Screw terminal
Bulb Shape	PAR
Bulb Diameter [mm]	114.3
Maximum Overall Length [mm]	70
Net weight per piece [g]	233
Gross weight per piece [g]	251
Brand	General Electric (GE)

Performance data

Nominal beam angle [°]	19
Nominal center beam candlepower (CBCP) [cd]	70000
Nominal power [W]	100
Nominal lamp voltage [V]	28

Electrical data

Lamp Current [A]	3.57
Coil type	CC-6
Ballast Required	Yes






Logistic data

Pack Quantity Layer quantity 144 EUR, 192 UK Layer quantity EUR Layer quantity UK 192 Pallet quantity EUR (PC) Pallet quantity UK (PC) 576	DUN Code	00043168248914
Layer quantity EUR 144 Layer quantity UK 192 Pallet quantity EUR (PC) 432 Pallet quantity UK (PC) 576	Pack Quantity	12
Layer quantity UK 192 Pallet quantity EUR (PC) 432 Pallet quantity UK (PC) 576	Layer quantity	144 EUR, 192 UK
Pallet quantity EUR (PC) 432 Pallet quantity UK (PC) 576	Layer quantity EUR	144
Pallet quantity UK (PC) 576	Layer quantity UK	192
	Pallet quantity EUR (PC)	432
711 200 717)	Pallet quantity UK (PC)	576
Outer case size 311 x 226 x 313 (mm)	Outer case size	311 x 226 x 313 (mm)
Product status Available	Product status	Available

Application areas



Downloads & Links

Go to the catalog site (HTTP)

Entertainment Solution Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

Disclaimer

Special Purpose Lamp, Not suited for household illumination