



GE
Lighting



PAR 56
4545 100W 12V
24768

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

Application areas



Club and Disco



WORLDWIDE PARTNER

Product data

Product Code	24768
Bulb Shape	PAR
Bulb Diameter [mm]	177.8
Maximum Overall Length [mm]	114.3
Net weight per piece [g]	615
Gross weight per piece [g]	683
Brand	General Electric (GE)
Cap/Base	Screw terminal

Performance data

Nominal beam angle [°]	19
Nominal center beam candlepower (CBCP) [cd]	225000

Electrical data

Lamp Current [A]	8.34
Coil type	C-6
Ballast Required	Yes
Nominal power [W]	100
Nominal lamp voltage [V]	12

Logistic data

DUN Code	00043168247689
EAN Code	0043168247689
Pack Quantity	12
Layer quantity	1 UK
Layer quantity UK	1
Pallet quantity UK (PC)	324
Outer case size	337 x 322 x 475 (mm)
Product status	Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

Disclaimer

Special purpose lamp – Aircraft. Not suitable for household illumination.