



GE
Lighting



18

lumens/watt

PAR 56
200PAR 30V
20122

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

Application areas



Club and Disco



Product data

Product Code	20122
Bulb Shape	PAR
Bulb Finish	Aluminized
Bulb Diameter [mm]	177.8
Maximum Overall Length [mm]	114.3
Net weight per piece [g]	576
Gross weight per piece [g]	696
Brand	General Electric (GE)
Cap/Base	Screw terminal

Performance data

Nominal beam angle [°]	15
Nominal center beam candlepower (CBCP) [cd]	270000
Rated Life [h]	350
Nominal lumens [lm]	3700

Electrical data

Coil type	CC-8
Ballast Required	Yes
Nominal power [W]	208
Nominal lamp voltage [V]	30

Logistic data

DUN Code	00043168201223
Pack Quantity	12
Layer quantity	48 EUR, 72 UK
Layer quantity EUR	48
Layer quantity UK	72
Pallet quantity EUR (PC)	144
Pallet quantity UK (PC)	216
Outer case size	457 x 356 x 305 (mm)
Product status	Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination