



GE
Lighting

301
kWh/1000h

C
energy class

24
lumens/watt



Specialist Projector


A1/249 230-240V

88491

Product information

An extensive range of Specialist projector lamps which are precisely manufactured, with tailored filaments optimising source brightness giving high performance in many applications. -High light-generating efficacy to help reduce power consumption and heat generation- Prefocus-type caps or precision rim mounting to position the filament accurately in relation to the optics.

Application areas



Product data

Cap/Base	G6.35-15
Bulb Shape	Tubular
Bulb Finish	Clear; black top
Bulb Diameter [mm]	16.3
Maximum Overall Length [mm]	62
Light Center Length [mm]	40
Net weight per piece [g]	0,006
Gross weight per piece [g]	35
Operating position	BDTH - Base Down to Horiz
Brand	General Electric (GE)

Performance data

Colour Rendering Index (CRI) [Ra]	100
Nominal correlated colour temperature (CCT) [K]	3400
Nominal lumens [lm]	7200
Nominal Initial Lumens per Watt [lm/W]	12
Energy efficiency class (EEC)	C
Rated Life [h]	50
Rated life L70/B50 [h]	50
Weighted energy consumption [kWh/1000h]	30035

Electrical data

Nominal power [W]	300
Nominal lamp voltage [V]	230
Coil type	C-13
Dimming Capability	Yes

Logistic data

DUN Code	10043168225769
EAN Code	5021731314025
Pack Quantity	20
Inner pack type	BX
Layer quantity	504 EUR, 600 UK
Pallet quantity EUR (PC)	1520
Pallet quantity UK (PC)	2000
Outer case size	333

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination