



GE Lighting

586
kWh/1000h

C
energy class

23
lumens/watt



Single Ended Halogen

GKV 600W 240V G9.5

88447

Product information

Quartzline® lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W
-Range of bases to meet the needs of OEMs -
Chromised seal protection up to 500° C.


Application areas



Film and Broadcast



Theatre



WORLDWIDE PARTNER

Product data

Cap/Base	G9.5
Bulb Shape	Tubular
Bulb Diameter [mm]	18
Maximum Overall Length [mm]	105
Light Center Length [mm]	60.5
Net weight per piece [g]	23
Gross weight per piece [g]	31
Brand	General Electric (GE)

Performance data

Colour Rendering Index (CRI) [Ra]	100
Nominal correlated colour temperature (CCT) [K]	3200
Nominal lumens [lm]	14000
Energy efficiency class (EEC)	C
Rated Life [h]	250
Weighted energy consumption [kWh/1000h]	585.81

Electrical data

Nominal power [W]	600
Nominal lamp voltage [V]	240
Coil type	C-13D
Ballast Required	No

Logistic data

DUN Code	10043168884478
EAN Code	0043168884471
Pack Quantity	24
Layer quantity	504 EUR, 600 UK
Layer quantity EUR	504
Layer quantity UK	600
Pallet quantity EUR (PC)	4032
Pallet quantity UK (PC)	4800
Outer case size	255 x 175 x 130 (mm)
Product status	Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination