







Specialist Projector

A1/244 230-240V

88460

Product information

An extensive range of Specialist projector lamps which are precisely manufactured, with tailored filaments optimising source brightness giving high performance in many applications. -High light-generating efficacy to help reduce power consumption and heat generation-Prefocus-type caps or precision rim mounting to position the filament accurately in relation to the optics.

Application areas



Other









Product data

| Cap/Base | GY9.5 |
|-----------------------------|-----------------------|
| Bulb Shape | Tubular |
| Bulb Diameter [mm] | 28.5 |
| Maximum Overall Length [mm] | 75 |
| Light Center Length [mm] | 36.5 |
| Net weight per piece [g] | 20 |
| Gross weight per piece [g] | 35 |
| Brand | General Electric (GE) |

Performance data

| Colour Rendering Index (CRI) [Ra] | 100 |
|---|--------|
| Nominal correlated colour temperature (CCT) [K] | 3200 |
| Nominal lumens [lm] | 13000 |
| Energy efficiency class (EEC) | С |
| Rated Life [h] | 75 |
| Weighted energy consumption [kWh/1000h] | 507.25 |

Electrical data

| Nominal power [W] | 500 |
|--------------------------|------|
| Nominal lamp voltage [V] | 240 |
| Coil type | C-13 |
| Dimming Capability | Yes |
| Ballast Required | No |





Logistic data

| 10043168884607 |
|----------------------|
| 0043168884600 |
| 24 |
| 504 EUR, 600 UK |
| 504 |
| 600 |
| 4032 |
| 4800 |
| 170 x 255 x 130 (mm) |
| Available |
| |

Downloads & Links

Go to the catalog site (HTTP)

Entertainment Solution Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

Disclaimer

Special Purpose Lamp, Not suited for household illumination