



MSI (Touring/Stage)

MSI 1200HR.1CT/10

The excellent color rendition characteristics of the light produced by the MSI (Touring/Stage) lamp helps ensure that audiences are always enthralled by the true natural colors and textures on the stage. What's more, the high luminous efficacy ensures that these lamps produce consistently high levels of lighting for a relatively small amount of energy consumption, making them the smart on-stage solution in more ways than one.

Product data

• General Information

Cap-Base	SFC15.5-6 [SFC15.5-6]
Operating Position	P [Parallel or Horizontal(HOR)]
Main Application	Studio/Disco
Life To 50% Failures (Nom)	750 h

• Light Technical

Luminous Flux (Rated) (Nom)	90000 lm
Chromaticity Coordinate X (Nom)	0.320
Chromaticity Coordinate Y (Nom)	0.320
Correlated Color Temperature (Nom)	6000 K
Luminous Efficacy (rated) (Nom)	75 lm/W
Color Rendering Index (Nom)	80

• Operating and Electrical

Power (Rated) (Nom)	1200 W
Voltage (Nom)	100 V

• Controls and Dimming

Dimmable	No
----------	----

• Mechanical and Housing

Cap-Base Information	SFC15.5-6
----------------------	-----------

• Approval and Application

Mercury (Hg) Content (Nom)	200 mg
----------------------------	--------

• Luminaire Design Requirements

Bulb Temperature (Max)	800 °C
Pinch Temperature (Max)	230 °C

• Product Data

Full product code	871150021245025
Order product name	MSI 1200HR.1CT/10
EAN/UPC - Product	8711500212450
Order code	924840600040
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	924840600040
Net Weight (Piece)	0.110 kg


PHILIPS

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and

remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Dimensional drawing





MSI

MSI 1200HR

Product	D	O	A	C (max)
MSI 1200HR,1CT/10	28 mm	10 mm	181 mm	220 mm

Photometric data



© 2016 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2016, June 7
data subject to change