



GE
Lighting

34813 - GE Quartz Metal Halide T7 - Stage & Studio; Disco Light

CSS150/CAP/50

- ☞ Compact size, white light, excellent color
- ☞ Precise optical control delivers a concentrated beam of light right where it's needed

GENERAL CHARACTERISTICS

Base Description	Oriented Medium 2-Pin
Base Type	Pin/Plug-In
Lamp Enclosure Type (LET)	Enclosed fixtures only
Mercury-Picogram per mean lm hr	3695
Rated Life Hours-nominal	1000 h
Bulb Finishes and Colors	Clear
Mercury Content EMEA ONLY	29.56
Bulb Material	Quartz
Primary Application	Stage & Studio Disco Light
Product Technology	High Intensity Discharge
Base	GY9.5
Bulb Shape	T7

PHOTOMETRIC CHARACTERISTICS

Mean Lumens nominal	8000 lm
Nominal Lumens per Watt	67 lm
Initial Lumens-nominal	10000 lm
Color Rendering Index-CRI	80
Color Temperature	5000 K

PRODUCT INFORMATION

Product Code	34813
Description	CSS150/CAP/50
Alternative Unit Of Measure	Case
Standard Package Quantity	10
Ean UPC	043168348133
Standard Package GTIN	10043168348130
No Of Items Per Sales Unit	1
No Of Items Per Standard Package	10
Sales Unit	Unit
UCC	043168348133

DIMENSIONS

Diameter	0.875 in
Light Center Length Millimeter	1.12 in

ELECTRICAL CHARACTERISTICS

Burn Position	Base down to horizontal
WarmUp Time to 90%[nom]	2 min
Rated power (Watts)	150 W

CAUTIONS & WARNINGS

WARNING: This lamp can cause serious skin burn and eye inflammation from shortwave ultraviolet radiation if outer envelope of the lamp is broken or punctured, and the arc tube continues to operate. Do not use where people will remain for more than a few minutes unless adequate shielding or other safety precautions are used. Certain types of lamps that will automatically extinguish when the outer envelope is broken or punctured are commercially available. Visit the FDA website for more information: <http://www.fda.gov/cdrh/radhealth/products/urburns.html>

Caution

- Lamp may shatter and cause injury if broken
- Do not use excessive force when installing lamp.
- Do not use lamp if outer glass is scratched or broken.

Warning

- Lamp emits UV radiation which may cause eye/skin irritation.
- Avoid exposure of eyes and skin to unshielded lamp.

Risk of Burn

- Allow lamp to cool before handling.
- Do not turn on lamp until fully installed.

Risk of Electric Shock

- Do not use where directly exposed to water or outdoors without an enclosed fixture.
- Turn power off before inspection

installation or removal.

Risk of Fire

Keep combustible materials away from lamp.

Use in fixture rated for this product.

Use thermally protected ballast.

Unexpected lamp rupture may cause injury, fire, or property damage

Do not exceed rated voltage.

Do not touch glass with bare hands.

Do not turn on lamp until fully installed.

Do not use lamp if outer glass is scratched or broken.

Do not use where directly exposed to water or outdoors without an enclosed fixture.

Turn la

NOTES

Enclosed fixture only, per UL Standard 1572. In accordance to Federal Regulations 21 CFR 1040.30 the following notice applies: WARNING: This lamp can cause serious skin burn and eye inflammation from shortwave ultraviolet radiation if the outer envelope of the lamp is broken or punctured, and the arc tube continues to operate. Do not use where people will remain more than a few minutes unless adequate shielding or other safety precautions are used. Certain types of lamp that will automatically extinguish when the outer envelope is broken or punctured are commercially available.