



GE  
Lighting



A+  
energy class

78  
lumens/watt

GE Start Bright Stik™  
LED 6/STIK/830/100-240/E27/F 3/15

**93023175**

## Product information

**LED Bright Stik™** illuminates spaces with light instantly. Its sleek cylindrical shape fits in place of a traditional incandescent bulb - and some sockets where a traditional bulb or CFL doesn't fit. Replace a 40W, 60W & 100W incandescent with an LED Bright Stik and keep saving for the next 15 years\*. That's a long time you can spend not worrying about light bulbs.

## Product data

Product Code	93023175
Bulb Finish	White
Bulb Diameter [mm]	37
Nominal Length [mm]	116
Net weight per piece [g]	50
Brand	GE BX
Cap/Base	E27

## Performance data

Nominal beam angle [°]	240
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	15000
Power factor	0.7
Nominal correlated colour temperature (CCT) [K]	3000
Nominal lumens [lm]	470
Colour Rendering Index (CRI) [Ra]	80


## Electrical data

Nominal lamp power factor..	0.7
Number of switching cycles	100000
Dimming Capability	No
Nominal power [W]	6

## Logistic data

DUN Code	10064894529792
EAN Code	0064894529795
Pack Quantity	15
Product status	Available

## Photometric Data



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Product datasheet \(PDF\)](#)

[Photometry \(IES\)](#)

[High-resolution image \(JPG\)](#)

[BrightStik range Datasheets \(HTTP\)](#)

[BrightStik range images \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)