

EUROLITE Set EUROLITE LED ML-56 QCL sw + Case

Art. No.: 09000029

GTIN:



The article is no longer in our assortment.

Features: Logistic

EUROLITE LED ML-56 QCL RGBW/RGBA 18x8W bk

PRO DMX spotlight with 18 x 8 W 4in1 LED

- Equipped with QCL LEDs in the colors red, green, blue and white and six in the colors red, green, blue and amber
- Through the close chip placement of the multichip technology, an exquisite color blend, even with short distances to the illuminated surface, is guaranteed
- Operable in stand-alone mode or DMX
- Functions: Static colors, RGBAW color blend, color change, color fade, internal programs, dimmer and strobe settings via DMX; Master/Slave
- 3, 5, 7, 8 channel DMX mode selectable
- Sound-control via built-in microphone
- Comfortable addressing and setting via control panel with LED display and three operating buttons
- Easy installation
- Locking possibility at the mounting bracket
- Available in silver or black
- Ready for connection via power cord with safety plug
- DMX512 control possible via any commercial DMX controller
- Preprogrammed in Light'J; LED PC-Control 512; Light Captain

ROADINGER Flightcase 8x ML-56/ML-64

Trunk case with castors

- With 8 device compartments
- With accessory compartment

- High-quality workmanship with plywood multi-layer glued 10 mm, black, laminated
- Interior with foam padding
cover with foam padding
- Aluminum profile frames 30mm with rounded edges
- 4 hinged, chromium plated case handles
- 2 high-quality butterfly locks
- 4 x castors with 2 locking brakes
- 4 x built-in stacking trays in the cover
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

| Weight: | 67,40 kg |
|----------------------|--|
| Legal specifications | |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

EUROLITE LED ML-56 QCL RGBW/RGBA 18x8W bk

| Power supply: | 230 V AC, 50 Hz |
|-------------------------|--|
| Power consumption: | 190,00 W |
| Preprogrammed in: | Light´J; LED PC-Control 512; Light Captain |
| Dimensions: | Width: 24 cm |
| | Depth: 30 cm |
| | Height: 31 cm |
| Weight: | 4,30 kg |
| DMX channels: | 3/5/7/8 |
| DMX connection: | 3-pin XLR |
| Sound-control: | via built-in microphone |
| LED type: | 8 W QCL |
| LED number: | 18 |
| Beam angle: | 18° |
| Dimensions (L x W x H): | 240 x 300 x 310 mm |
| Legal specifications | |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |
| | |

ROADINGER Flightcase 8x ML-56/ML-64

| J | |
|--------------------------|--|
| Maximum load: | 50 kg |
| Aluminum profile frames: | 30 mm |
| Case handle: | 4 pc/pcs |
| Lock: | Butterfly lock: 2 pc/pcs |
| Transport aid: | 4 x castors with 2 locking brakes 4 x built-in stacking trays in the cover |
| Material: | Plywood multi-layer glued, 10 mm |
| Color: | Black, laminated |
| | |

| Device compartment: | 22 cm x 22 cm x 26,5 cm |
|------------------------|----------------------------|
| Accessory compartment: | 12,5 cm x 28 cm x 23,5 cm |
| Inside dimensions: | 113,5 cm x 58 cm x 26,5 cm |
| Accessory compartment: | 12,5 cm x 19 cm x 23,5 cm |
| Dimensions: | Width: 119 cm |
| | Depth: 63,5 cm |
| | Height: 50 cm |
| Weight: | 33,00 kg |