eurolite®

EUROLITE Set EUROLITE LED ML-56 QCL sil. + Case

Art. No.: 09000030 GTIN:





The article is no longer in our assortment.

Features:

EUROLITE LED ML-56 QCL RGBW/RGBA 18x8W si

PRO DMX spotlight with 18 x 8 W 4in1 LED

- Equipped with 4in1 LEDs in the colors red, green, blue and white and six in the colors red, green, blue and amber
- Through the close chip placement of the multichip technology, an exquisite color blend, even with short distances to the illuminated surface, is guaranteed
- Operable in stand-alone mode or DMX
- Functions: Static colors, RGBAW color blend, color change, color fade, internal programs, dimmer and strobe settings via DMX; Master/Slave
- 3, 5, 7, 8 channel DMX mode selectable
- Sound-control via built-in microphone
- Comfortable addressing and setting via control panel with LED display and three operating buttons
- Easy installation
- Locking possibility at the mounting bracket
- Available in silver or black
- Ready for connection via power cord with safety plug
- DMX512 control possible via any commercial DMX controller
- 18 powerful LEDs 8 W
- Strobe effect
- Control via stand-alone; DMX
- Preprogrammed in Light'J; LED PC-Control 512; Light Captain

ROADINGER Flightcase 8x ML-56/ML-64

Trunk case with castors

Logistic

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

- With 8 device compartments
- With accessory compartment
- High-quality workmanship with plywood multi-layer glued 10 mm, black, laminated
- Interior with foam padding
cover with foam padding
- Aluminum profile frames 30mm with rounded edges
- 4 hinged, chromium plated case handles
- 2 high-quality butterfly locks
- 4 x castors with 2 locking brakes
- 4 x built-in stacking trays in the cover
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight:	69,80 kg
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

EUROLITE LED ML-56 QCL RGBW/RGBA 18x8W si

Power supply:	230 V AC, 50 Hz
Power consumption:	190,00 W
IP classification:	IP20
Lamp type:	LED lamp
LED type:	18 x 8 W
Control:	Stand-alone; DMX
Preprogrammed in:	Light'J; LED PC-Control 512; Light Captain
Beam angle (1/2 peak):	18°
Housing color:	Silver
Dimensions:	Width: 24 cm
	Depth: 30 cm
	Height: 31 cm
Weight:	4,60 kg
DMX channels:	3/5/7/8
DMX connection:	3-pin XLR
Sound-control:	via built-in microphone
LED type:	8 W QCL
LED number:	18
Beam angle:	18°
Dimensions (L x W x H):	240 x 300 x 310 mm
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

ROADINGER Flightcase 8x ML-56/ML-64

Maximum load:	50 kg
Aluminum profile frames:	30 mm
Case handle:	4 pc/pcs
Lock:	Butterfly lock: 2 pc/pcs
Transport aid:	4 x castors with 2 locking brakes 4 x built-in stacking trays in the cover
Material:	Plywood multi-layer glued, 10 mm
Color:	Black, laminated
Device compartment:	22 cm x 22 cm x 26,5 cm
Accessory compartment:	12,5 cm x 28 cm x 23,5 cm
Inside dimensions:	113,5 cm x 58 cm x 26,5 cm
Accessory compartment:	12,5 cm x 19 cm x 23,5 cm
Dimensions:	Width: 119 cm Depth: 63,5 cm Height: 50 cm
Weight:	33,00 kg