



**The article is no longer in our assortment.**

### Features:

#### EUROLITE LED BAR-27 RGB 27x1W

LED bar with 27 x 1 W LED

- Operable in stand-alone mode or via DMX
- DMX512 control possible via any commercial DMX controller (occupies 12 channels)
- 3, 5 or 12 DMX channels selectable for numerous applications
- Sound-control via built-in microphone
- Comfortable addressing and setting via control board with LCD display and four operating buttons
- Functions: Static colors, RGB color blend, internal programs, dimmer and strobe settings via DMX, Master/Slave
- Equipped with 27 x 1 W LEDs
- Hanging as well as standing installation possible
- Locking possibility at the mounting bracket
- Feed-through output allows to power another device
- After every 8 spots the fixtures must have a renewed connection with the power mains
- Switch-mode power supply, automatic power supply adaption between 110 and 240 volts without power selector
- Ready for connection via enclosed IEC power cord with safety-plug

### Logistic

#### ROADINGER Flightcase 4x LED BAR-252 RGB

Carrying case, PRO version

- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges

- Rugged carrying handle
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

---

Weight:	24,30 kg
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

### EUROLITE LED BAR-27 RGB 27x1W

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	65,00 W
DMX channels:	5; 3
Dimensions:	Length: 1,07 m Depth: 6,5 cm Height: 9 cm
Weight:	3,75 kg
DMX channels:	3/5/12
DMX connection:	3-pin XLR
Sound-control:	via built-in microphone
Type of LED:	1 W
LED number:	27
Beam angle:	12°
Dimensions (L x W x H):	1070 x 65 x 90 mm
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

### ROADINGER Flightcase 4x LED BAR-252 RGB

Maximum load:	25 kg
Aluminum profile frames:	30 mm
Carrying handle:	1 pc/pcs
Stop hinge:	2 pc/pcs
Lock:	Butterfly lock: 2 pc/pcs
Use of brands:	Branded hardware
Material:	Birch multiplex, 7 mm
Color:	Dark brown, laminated
Inside dimensions:	1,065 m x 44 cm x 7,5 cm

Device compartment:	1,065 m x 6,5 cm x 7,5 cm
Dimensions:	Width: 1,145 m Depth: 47,5 cm Height: 14,5 cm
Weight:	9,30 kg