

EUROLITE Set 10x LED Pixel Ball + LED PSU-5A + MADRIX KEY start

Art. No.: 09000457

GTIN:



The article is no longer in our assortment.

Features: Logistic

EUROLITE LED Pixel Ball 360° 1m

Flexible LED pixel string

- 5 pixels, individually controllable
- 1 m long, flexible string
- Ultra-bright TCL LEDs for smooth RGB color mixing in lightweight, white plastic spheres
- 360° beam angle
- Modular concept allows build-up of large curtains for clubs, stages, shops and various other environments
- Individual control of static colors, RGB color mixture, internal programs, dimmer, strobe, Master/Slave
- Serial connection of 6 strings possible (30 pixels)
- Control of up to 150 pixels per LED PSU-5A Artnet/DMX controller (accessory)
- Control also possible per MADRIX, DMX and Artnet
- Control via stand-alone; Art-Net; DMX

EUROLITE LED PSU-5A Artnet/DMX

Control unit for EUROLITE LED Pixel Ball 360° 1m

- Create a RGB color mixing curtain with the decorative LED Pixel Ball strings
- For 150 pixels
- Serial connection possible
- Operable in stand-alone mode or via DMX and Art-Net
- Truss installation
- Comfortable addressing and setting via control panel with LCD display

- Built-in functions: static colors, internal programs, dimmer, strobe, Master/Slave, string length selection
- Master/Slave for parallel operation of several devices
- Number of DMX channels (8, 450) selectable for numerous applications
- Ready for connection via included IEC power cord with safety power plug
- Switch-mode power supply for operation between 100 and 240 Volts
- Feed-through output allows to power up to 8 devices
- Control via stand-alone; Art-Net; DMX
- Preprogrammed in LED PC-Control 512

MADRIX KEY

MADRIX 5 KEY - without license

- Includes an empty MADRIX KEY
- Requires a proper MADRIX 5 License to activate the features or output for the MADRIX 5 Software
- The device can be connected via USB to the PC
- Made in Germany

MADRIX Software 5 License start

MADRIX 5 licence "start"

- Includes 1x MADRIX 5 License "start"
- Requires a valid, empty, and metallic MADRIX KEY
- Can transmit up to 1024 DMX channels
- Compatible with Win 7, Win 8, Win 10,
- Made in Germany
- Engineered in Germany
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight: 4,84 kg

EUROLITE LED Pixel Ball 360° 1m

| 4 W |
|--|
| Stand-alone; Art-Net; DMX |
| 360° |
| Height: 105 cm |
| Diameter: Ø 5 cm |
| 0,22 kg |
| 5 |
| TCL, SMD 5050 (2 per sphere) |
| 30 pixels |
| 360° |
| 1050 x 50 mm |
| |
| Not designed for household room illumination |
| Show effect lighting |
| |

EUROLITE LED PSU-5A Artnet/DMX

| Power supply: | 100-240 V AC, 50/60 Hz |
|----------------------------|---------------------------|
| Power consumption: | 80 W |
| Control: | Stand-alone; Art-Net; DMX |
| Preprogrammed in: | LED PC-Control 512 |
| Dimensions: | Length: 100 cm |
| | Depth: 7,5 cm |
| | Height: 10 cm |
| Weight: | 2,48 kg |
| Output voltage: | 12 V AC |
| Outputs for pixel strings: | 5 |
| Pixel control: | max. 150 |
| Serial connection: | yes |
| Number of DMX channels: | 8/450 |
| DMX connection: | 3-pin XLR |
| Art-Net connection: | RJ45, CAT5e |
| Dimensions (L x W x H): | 1005 x 75 x 100 mm |
| | |

EUROLITE Terminator for LED Pixel Ball

| Housing color: | Black |
|----------------|---------|
| Weight: | 0,02 kg |

MADRIX KEY

| Power connection: | Mains input via USB A (M) connectable version |
|-------------------|---|
| USB port: | Туре А |
| PC connect: | Via USB |
| Weight: | 0,07 kg |

MADRIX Software 5 License start

| DMX channels: | Output 1024 |
|-------------------|-----------------------|
| Weight: | 0,00 kg |
| Operating system: | Win 7, Win 8, Win 10, |