



### Features:

#### ALUTRUSS DECOLOCK DQ3-PAL33 3-way Corner 90°

Universal 3-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; installation; stage

#### ALUTRUSS DECOLOCK DQ3-PAL34 3-way Corner 90°

Universal 3-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; installation; stage

### Logistic

## ALUTRUSS DECOLOCK DQ3-BPM Base Plate MALE

Universal 3-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; installation; stage

### Technical specifications:

---

Weight: 13.17 kg

---

## ALUTRUSS DECOLOCK DQ3-PAL33 3-way Corner 90°

Trusspipe:	35 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored; any RAL color available on request
Strut diameter x thickness:	10 x 2mm
Dimensions:	Length: 40 cm Width: 40 cm Height: 40 cm
Weight:	2.7 kg

---

## ALUTRUSS DECOLOCK DQ3-PAL34 3-way Corner 90°

Trusspipe:	35 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored; any RAL color available on request
Strut diameter x thickness:	10 x 2mm
Dimensions:	Length: 40 cm Width: 40 cm Height: 40 cm
Weight:	2.8 kg

---

## ALUTRUSS DECOLOCK DQ3-BPM Base Plate MALE

Trusspipe:	35 mm; 35 mm x 2 mm
Color:	Alu colored; any RAL color available on request
Weight:	0.55 kg

---

## Scope of delivery:

---

**2 x ALUTRUSS DECOLOCK DQ3-PAL33 3-way Corner 90°**

2 x connection set

**2 x ALUTRUSS DECOLOCK DQ3-PAL34 3-way Corner 90°**

2 x connection set