



The article is no longer in our assortment.

Features:

EUROLITE Reflector casing f. UV tube 2 x 120cm/36W

Housing for more performance

- With luminium reflector
- Increases the UV-light of the tube by the double
- Concentrated UV-light
- Easy mounting via mounting bracket
- For two 120 cm UV-tubes
- Ready for connection via power cord with safety-plug
- With metal mesh protection grill

Logistic

OMNILUX UV Tube 36W G13 1200x26mm T8

An indispensable means of decoration

- Countless number of application possibilities
- Already existing a good number of years, the "black light effect" is still fascinating: white textiles and objects as well as fluorescent material brightly flash up in darkness!
- Only to be used with ballast resistor
- Easy installation

Technical specifications:

Weight:	12,94 kg
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

EUROLITE Reflector casing f. UV tube 2 x 120cm/36W

Power supply:	230 V AC, 50 Hz
Power consumption:	170 W
IP classification:	IP20
Lamp type:	Fluorescent tube
Housing color:	Black
Material:	Metal
Dimensions:	Width: 124 cm Depth: 12,5 cm Height: 21 cm
Weight:	5,25 kg
Dimensions (L x W x H):	240 x 210 x 125 mm
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

OMNILUX UV Tube 36W G13 1200x26mm T8

Operating voltage:	103
Nominal wattage:	36 W
Base:	2 x G-13
Lamp type:	Fluorescent tube
Beam angle:	360°
Setup:	Easy installation
Color of light:	UV-reflecting
Lead time:	180 s
Construction:	Tube T8
Operating temperature max.:	40° C
Operating temperature min.:	20° C
Burning position:	P30 (horizontal ±30°)
Lamp life:	8000 h
Wavelength:	365 nm
Lamp current:	0,43 A
Dimensions (LxD):	1200x26 mm
Dimensions:	Length: 120 cm Diameter: Ø 2,60 cm
Weight:	0,20 kg
Photobiological safety:	Risk Group 0
Legal specifications	

Special product:	Not designed for household room illumination
Intended use:	Show effect lighting