

# **DIMAVERY Pedal set**



# The article is no longer in our assortment.

# Features:

# **DIMAVERY PT-1 Pedal Tuner**

Chromatic pedal tuner with LCD display

- Compact size for more space on the pedal board
- Tuning range: A0 (27,5 Hz) C8 (4168 Hz)
- Precision: ±1 cent
- Rugged metal housing
- Robust footswitch
- True bypass
- Connections via 6.3 mm audio jacks
- AC adaptor not included!

### DIMAVERY TP-1 Tube Pusher Pedal

Overdrive pedal with extra boost option

- Top boost mode
- Compact size for more space on the pedal board
- Rugged metal housing
- Robust footswitch
- True bypass
- Controls: level, tone, gain, mode
- Connections via 6.3 mm audio jacks
- AC adaptor not included!
- Non-slip pedal housing

Logistic

#### **DIMAVERY OP-1 Overdrive Pedal**

Overdrive pedal

- Overdrive from light boost to heavy crunch
- Compact size for more space on the pedal board
- Rugged metal housing
- Robust footswitch
- True bypass
- Controls: level, tone, gain
- Connections via 6.3 mm audio jacks
- AC adaptor not included!

#### **DIMAVERY DLP-1 Delay Pedal**

Delay pedal

- Compact size for more space on the pedal board
- Rugged metal housing
- Robust footswitch
- True bypass
- Controls: echo, time, feedback
- Connections via 6.3 mm audio jacks
- AC adaptor not included!

#### **DIMAVERY FP-1 Flanger Pedal**

Flanger with two modes

- Normal mode and filter mode
- Compact size for more space on the pedal board
- Rugged metal housing
- Robust footswitch
- True bypass
- Controls: rate, color, range, mode
- Connections via 6.3 mm audio jacks
- AC adaptor not included!
- Non-slip pedal housing

# ACCESSORY Universal Switch Mode PSU 0.6A

Switch-mode PSU with a high energy efficiency

- Saves electricity costs due to a low power consumption during stand-by (< 0.3 W)
- Switchable output voltage
- Small lightweight version
- LED power indicator
- Switchable polarity by reversing the supplied adapters
- 7 plug-in adapters: plugs: 2.5 mm, 3.5 mm, hollow plugs: 2.35/0.75 mm, 3.5/1.35 mm, 5.0/2.1 mm, 5.5/2.1 mm, 5.5/2.5 mm

#### **DIMAVERY PC-5 Pedal Case**

Pre-wired case for 5 mini effect pedals

- Five compartments für mini effect pedals in foam padding
- 5 x 9 V DC outputs, pre-wired
- Removable lid
- Power supply not included

# **Technical specifications:**

Weight:

2,43 kg

#### **DIMAVERY PT-1 Pedal Tuner**

Dimensions:	Width: 4,5 cm
	Depth: 9,5 cm
	Height: 4,8 cm
Weight:	0,15 kg
Power supply:	9 V DC adaptor
Input impedance:	1 kohms
Output impedance:	2 kohms
Dimensions (HxLxW):	48 x 95 x 45 mm

# **DIMAVERY TP-1 Tube Pusher Pedal**

Power connection:	Mains input via coaxial power connector (M) mounting version
Housing design:	Non-slip pedal housing
Weight:	0,20 kg

#### **DIMAVERY OP-1 Overdrive Pedal**

Dimensions:	Width: 4,5 cm Depth: 9,5 cm
	Height: 4,8 cm
Weight:	0,21 kg
Power supply:	9 V DC adaptor
Input impedance:	1 kohms
Output impedance:	2 kohms
Dimensions (HxLxW):	48 x 95 x 45 mm

## DIMAVERY DLP-1 Delay Pedal

Dimensions:	Width: 4,5 cm
	Depth: 9,5 cm
	Height: 4,8 cm
Weight:	0,21 kg
Power supply:	9 V DC adaptor
Input impedance:	1 kohms
Output impedance:	2 kohms
Dimensions (HxLxW):	48 x 95 x 45 mm

DIMAVERY FP-1 Flanger Pedal	
Power connection:	Mains input via coaxial power connector (M) mounting version
Housing design:	Non-slip pedal housing

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

#### ACCESSORY Universal Switch Mode PSU 0.6A

Power supply:	230 V AC, 50 Hz
Power consumption:	20,00 W
Cable length:	1,8 m
Controls:	Overload; short-circuit; overheat
Output:	3/4,5/5/6/7,5/9/12 V DC; 0,6 A;
Dimensions:	Width: 3,8 cm
	Depth: 5 cm
	Height: 6,8 cm
Weight:	0,11 kg

## **DIMAVERY PC-5 Pedal Case**

Weight:

1,33 kg