
# alutruss

### ALUTRUSS Decolock DQ3 rectangle 3.3m



## The article is no longer in our assortment.

#### Features:

#### ALUTRUSS DECOLOCK DQ3-PAL33 3-way Corner 90°

Universal 3-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; installation; stage **Package contents**
- 2 x connection set

#### ALUTRUSS DECOLOCK DQ3-PAL34 3-way Corner 90°

Universal 3-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe

Logistic

- For application areas such as: Theater; Trade fair and shop fitting; installation; stage Package contents
- 2 x connection set

#### ALUTRUSS DECOLOCK DQ3-BPM Base Plate MALE

Universal 3-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; installation; stage

#### ALUTRUSS DECOLOCK DQ3-3000 3-way Cross Beam

Universal 3-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; installation; stage
- For further information about this product, please refer to the Data Sheet under "Downloads"
  Package contents
- 1 x connection set

#### **Technical specifications:**

Weight:

67,89 kg

#### ALUTRUSS DECOLOCK DQ3-PAL33 3-way Corner 90°

| Trusspipe:                  | 35 mm x 2 mm                                    |
|-----------------------------|---|
| Welding technique:          | TIG-welding                                     |
| Welding material:           | AlMg 5  |
| Color:                      | Alu colored; any RAL color available on request |
| Strut diameter x thickness: | 10 x 2mm  |
| Dimensions:                 | Length: 40 cm                                   |
|                             | Width: 40 cm                                    |
|                             | Height: 40 cm                                   |
| Weight:                     | 2,7 kg  |

#### ALUTRUSS DECOLOCK DQ3-PAL34 3-way Corner 90°

| Trusspipe:         | 35 mm x 2 mm |
|--------------------|--------------|
| Welding technique: | TIG-welding  |

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

| 5   |
|---|
| Alu colored; any RAL color available on request |
| 10 x 2mm  |
| Length: 40 cm                                   |
| Width: 40 cm                                    |
| Height: 40 cm                                   |
| 2,8 kg  |
|   |

#### ALUTRUSS DECOLOCK DQ3-BPM Base Plate MALE

| Trusspipe: | 35 mm; 35 mm x 2 mm                             |
|------------|---|
| Color:     | Alu colored; any RAL color available on request |
| Weight:    | 0,55 kg   |

#### ALUTRUSS DECOLOCK DQ3-3000 3-way Cross Beam

| Trusspipe:                  | 35 mm x 2 mm                                    |
|-----------------------------|---|
| Welding technique:          | TIG-welding                                     |
| Welding material:           | AIMg 5  |
| Color:                      | Alu colored; any RAL color available on request |
| Strut diameter x thickness: | 10 x 2mm  |
| Dimensions:                 | Length: 300 cm                                  |
|                             | Width: 22 cm                                    |
|                             | Height: 19,50 cm                                |
| Weight:                     | 6,84 kg   |