



**The article is no longer in our assortment.**

### Features:

#### FUTURELIGHT PRO Slim PAR-36 CW/WW

PRO slimline LED spot with 1 W LEDs

- Equipped with 36 x 1 W LEDs: 18 x warm white, 18 x cold white
- Flat housing form requires minimal space when rigging
- Extremely compact housing in a beautiful design
- Second mounting bracket for safe standing installation
- Locking possibility at the brackets with large metal butterfly screws
- Pure convection cooling via cooling ribs, no fans, particularly quiet during operation
- Functions: CW/WW color mixture, 9 preset color temperatures, built-in programs, dimmer, strobe effect, Master/Slave operation
- 2, 3, 4, 7 DMX channels selectable for various applications
- Dimmer speed (step response) adjustable
- Comfortable addressing and setting via Control Board with LED display and four operating buttons with four-digit 14-segment display
- Operable in stand-alone mode or via DMX
- Master/Slave for parallel operation of several devices
- DMX512 control via regular DMX-controller
- Power connection via Neutrik PowerCon jack and included power cable
- Feed-through output allows to power another device
- After every 8 devices the fixtures must have a renewed connection with the power mains
- 36 powerful LEDs
- Preprogrammed in Light'J; Light Captain

### Logistic

#### ROADINGER Flightcase 4x PRO Slim Size M

Trunk case, PRO version

- With accessory compartment
- With 4 device compartments
- High-quality workmanship with birch multiplex 7 mm, black, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

Weight:	22,00 kg
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

### FUTURELIGHT PRO Slim PAR-36 CW/WW

Power supply:	230 V AC, 50 Hz
Power consumption:	45 W
LED type:	36
Preprogrammed in:	Light´J; Light Captain
Color:	Black
Dimensions:	Width: 10 cm Depth: 25,5 cm Height: 29,5 cm
Weight:	3,20 kg
DMX channels:	2/3/4/7
DMX connection:	3-pin XLR
LED type:	1 W
LED number:	36
Beam angle:	18°
Dimensions (L x W x H):	100 x 255 x 295 mm
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

### ROADINGER Flightcase 4x PRO Slim Size M

Maximum load:	50 kg
Aluminum profile frames:	30 mm
Case handle:	2 pc/pcs
Stop hinge:	2 pc/pcs

Lock:	Butterfly lock: 2 pc/pcs
Use of brands:	Branded hardware
Material:	Birch multiplex, 7 mm
Color:	Black, laminated; dark brown, laminated
Inside dimensions:	27 cm x 265 cm
Middle compartment:	14 cm x 27 cm x 25 cm
Compartment dimensions:	12 cm x 27 cm x 25 cm
Dimensions:	Width: 68,5 cm
	Depth: 30,5 cm
	Height: 36 cm
Weight:	9,20 kg