

OMNITRONIC MRS-502USB Recording Mixer

Mini audio mixer with USB interface

Art. No.: 10040270 GTIN: 4026397513875









The article is no longer in our assortment.

Features:

- Built-in USB audio interface allows recordings and playback of digital audio files with a computer (PC and Mac)
- Full duplex USB port allows simultaneous recording and playback
- 1 mono input channel with gain control, 2-band EQ and pan control, clip LED
- 1 stereo input channel with level control, 2-band EQ and balance control
- Tape input and output
- 3.5 mm stereo master output
- Adjustable headphones output
- +20 V phantom power, permanent
- Clip LED
- Rugged, compact metal housing mixer
- Desktop console housing

Package contents

- 1 x mixer, 1 x external mains adapter, 1 x USB cable, 1 x user manual

Technical specifications:

Power consumption:	2,50 W	
Frequency range:	20 - 20000 Hz	
S/N ratio:	>81 dB	
THD:	<0,05 % at 1 kHz	
Phantom power:	Or 20 V DC	

Logistic

EAN / GTIN: 4026397513875

Weight: 0,65 kg Length: 0.23 m Width: 0.17 m Heigth: 0.05 m

Control elements:	Power switch, source selector
Status LED:	Clip, power
Connections:	Input: microphone via 1 x 3-pin XLR/6.35mm jack (F) combination socket (mounting version)
	Input: line via 1 x stereo RCA 0,15 V
	Input: line via 1 x stereo RCA 0,42 V
	Output: line via 1 x stereo RCA 2 V
	Output: line via 1 x 3.5 mm jack (stereo) mounting version 6 V
	Output: headphones via 1 x 3.5 mm jack (stereo) mounting version 2 V
Channels:	Microphon chanal: 1 x mono via XLR or jack, channel control via rotary dial, 2-band tone control EQ 80Hz/12kHz, gain control, panoramacontol
	Input chanel: 1 x stereo with line-USB switch via RCA or USB, channel control via rotary dial, 2-band tone control EQ 80Hz/12kHz, balancecontrol
	Master output: 1 x stereo via jack, channel control via rotary dial
	Headphones output: 1 x stereo via jack, channel control via rotary dial
USB port:	USB 2.0, type B
Dimensions:	Width: 10,3 cm
	Depth: 14,8 cm
	Height: 4,7 cm
Weight:	0,53 kg
Mixer	
Power supply:	5V 500 mA
Power connection:	Mains input via USB, type B power supply cord with AC adapter (provided)
Housing color:	Black
Material:	Metal
Housing design:	Desktop console housing
External mains adapter	
Power supply:	100-240 V AC, 50/60 Hz