

OMNITRONIC DSM-1000 Microphone set

Art. No.: 13030451

GTIN:



The article is no longer in our assortment.

Features:

OMNITRONIC BDM-1000 PRO Instrument Mic

Dynamic microphone for resonant instruments like bass drums

- Dynamic microphone for direct pick-up of low-frequency musical instruments like drums, percussions, wind instruments, and guitar amplifiers as well as acoustic instruments
- Transparent and powerful sound
- Ideal for studio recording and live applications
- Integrated holder can be turned by 180°
- Cardioid pickup pattern for effective feedback elimination
- Special shock-absorbing cartridge support
- Robust diecast body, applicable for touring
- Balanced XLR output
- Delivery includes padded leatherette bag
- Excellent quality at a low price
- Polar pattern: Cardioid

OMNITRONIC IM-1000 PRO Instrument mic

PRO condenser microphone for studio recording and live applications

- Perfect for direct or overhead sound pick-up of acoustic and electric instruments
- Back electret capsule with cardioid pickup pattern for effective feedback elimination
- Operation via external phantom power (9-52 V DC current) or internal 1.5 V battery (not included)
- Stand holder with 1 cm (3/8") and 1.5 cm (5/8") thread
- Robust diecast body, applicable for touring
- Balanced XLR output

Logistic

- Delivery incl. padded leatherette bag
- Excellent quality at a low price

OMNITRONIC KDM-1000 PRO Instrument Mic

Dynamic microphone for bass instruments like kick drums

- Dynamic microphone for direct pick-up of kick drums and other low-frequency musical instruments, e.g. trombone and bass amplifier
- Ideal for studio recording and live applications
- Integrated holder can be turned by 180°
- Hypercardioid pickup pattern for effective feedback elimination
- Special shock-absorbing cartridge support
- Robust diecast body, applicable for touring
- Balanced XLR output
- Delivery includes padded leatherette bag
- Excellent quality at a low price
- Polar pattern: Hyper cardioid

ROADINGER Universal Case FOAM, black

Carrying case

- With pickfoam
- High-quality workmanship with plywood multi-layer glued 7 mm, black, laminated
- Interior with foam padding
cover with foam padding
- Aluminum profile frames 22mm with rounded edges
- Rugged carrying handle
- 2 high-quality spring locks with shut-off function
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

OMNITRONIC BDM-1000 PRO Instrument Mic

| | |
|----------------------|----------------------------|
| Type: | Microphone for instruments |
| Capsule type: | Dynamic |
| Polar pattern: | Cardioid |
| Frequency range: | 60 - 16000 Hz |
| Switch: | Without |
| Weight: | 0,70 kg |
| Type: | Dynamic |
| Directivity pattern: | Cardioid |
| Impedance: | 600 ohms |
| Sensitivity: | -72 dB |
| Maximum SPL: | 158 dB |

OMNITRONIC IM-1000 PRO Instrument mic

| | |
|----------------------|---------------------------|
| Capsule type: | Condenser |
| Frequency range: | 60 - 18000 Hz |
| Weight: | 0,19 kg |
| Type: | Condenser (back electret) |
| Directivity pattern: | Cardioid |
| Impedance: | 400 ohms |

| | |
|---------------|---|
| Sensitivity: | -70 dB |
| Power supply: | external phantom power (9-52 V DC) or internal 1.5 V battery, type AA |

OMNITRONIC KDM-1000 PRO Instrument Mic

| | |
|----------------------|----------------------------|
| Type: | Microphone for instruments |
| Capsule type: | Dynamic |
| Polar pattern: | Hyper cardoid |
| Frequency range: | 20 - 12000 Hz |
| Sensitivity: | -85 dB |
| Switch: | Without |
| Weight: | 0,81 kg |
| Type: | Dynamic |
| Directivity pattern: | Hypercardioid |
| Impedance: | 600 ohms |
| Maximum SPL: | 172 dB |

ROADINGER Universal Case FOAM, black

| | |
|--------------------------|---|
| Maximum load: | 25 kg |
| Aluminum profile frames: | 22 mm |
| Carrying handle: | 1 pc/pcs |
| Lock: | Spring lock: 2 pc/pcs with shut-off function |
| Material: | Plywood multi-layer glued, 7 mm |
| Color: | Black, laminated |
| Inside dimensions: | 42 cm x 29,5 cm x 12 cm |
| Dimensions: | Width: 46 cm Depth: 35 cm Height: 17 cm |
| Weight: | 3,90 kg |