

OMNITRONIC IC-1010 PRO Studio Microphone

PRO tube condenser microphone for studio recording and live applications



Art. No.: 13030703

GTIN: 4026397298055

The article is no longer in our assortment.

Features:

- Ideal as main and support microphone for vocals or guitars
- Far more clarity and accuracy than dynamic microphones
- Cardioid pickup pattern for effective feedback elimination
- Low-noise transformerless FET input eliminates low frequency distortion
- Balanced XLR output
- Delivery incl. power supply unit, 10 m XLR cable, shockmount, padded wooden box and aluminum case
- Polar pattern: Cardioid

Logistic

EAN / GTIN: 4026397298055 Weight: 4,90 kg Length: 0.44 m Width: 0.31 m Heigth: 0.11 m

Technical specifications:

Studio microphone	
10,00 W	
Condenser	
Cardioid	
Without	
Length: 16,7 cm Diameter: Ø 6,1 cm	
4,80 kg	
Condenser	
Cardioid	
	10,00 W Condenser Cardioid Without Length: 16,7 cm Diameter: Ø 6,1 cm 4,80 kg Condenser

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

Sensitivity:	-34 dBu @ 1 kHz
Equivalent SPL:	13 dBA, 20 dBC
Maximum SPL:	140 dB (THD <0.5% @ 1 kHz)
Nominal impedance:	250 ohms
Load impedance:	200 ohms
Output impedance:	1000 ohms
Power supply:	48 V DC phantom power
Connection:	7-pin XLR, balanced
	Power supply unit
Power supply:	115/230 V AC, 50/60 Hz
Input and Output:	7-pin XLR, balanced
Output:	3-pin XLR, balanced
Dimensions (L x W x H):	167 x 102 x 61 mm