

## OMNITRONIC WM-2402 Wireless mic system

Digital 2-channel wireless microphone system, 2.4 GHz

Art. No.: 13072002

GTIN: 4026397462517



### Features:

- Wireless microphone system includes receiver unit and 2 hand-held microphones with integrated PLL transmitter
  - Digital transmission in the 2.4 GHz range provides for high resistance to interference and unique sound quality
  - 2 channels with separate level control
  - 16 frequencies (2,404-2,476 MHz) for each channel can be selected at the transmitter
  - 2 systems can be used simultaneously (corresponds to 4 microphone transmission paths)
  - 6.3 mm output for mixed signal
  - Supercardioid microphone cartridges
  - Incl. power unit and jack cable
  - License-free and approved in the EU
- microphone**
- Powered by a battery/battery pack

### Logistic

EAN / GTIN: 4026397462517  
Weight: 1,45 kg  
Length: 0.34 m  
Width: 0.28 m  
Height: 0.07 m

### Technical specifications:

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	7.50 W
Frequency range:	50 - 15000 Hz
Dimensions:	Width: 22 cm Depth: 4.4 cm Height: 13.3 cm

Battery:	4 x 1.5 V AA Mignon LR06 alkaline manganese included
Carrier frequency:	2404-2476 MHz, 16 channels
RF power output:	10 mW
Coverage:	20 m (in buildings), 30 m (in the open air)
THD:	<1 %
Dynamic range:	87 dB
Microphone cartridge:	dynamic
directivity:	supercardioid
Impedance:	600 ohms
Audio output:	6.3 mm jack, unbal., 100 mV
Receiver:	100-240 V AC, 50/60 Hz via supplied power unit
Dimensions, weight	
Receiver:	220 x 44 x 133 mm, 550 g
Microphone:	55 x 260 mm, 120 g

### Scope of delivery:

1 x microphone