

OMNITRONIC WAMS-08BT Wireless PA System

Portable 8" PA system with UHF receiver unit, audio player, Bluetooth and 60 watts power

Art. No.: 13106991

GTIN: 4026397502886











The article is no longer in our assortment.

Features:

- Portable all-in-one PA system for mobile use
- Ideal for mains independent and wireless applications, e.g. at sales events, lectures and gyms
- 4-channel power mixer (40 W RMS) and 2-way speaker system with a 20 cm woofer (8")
- MP3 player with Bluetooth receiver and IR remote control
- SD card slot and USB input
- Stream music wirelessly from your mobile devices (e.g. smartphone, tablet) via Bluetooth
- Integrated UHF receiver unit and matching wireless microphone
- Mains operation or battery operation for up to 4 hours of music playing
- Integrated automatic charging of the battery
- Lead acid battery optionally available (13106993)
- 2 mono input channels mic/line with adjustable echo effect
- 1 stereo stereo input channel for line signal sources e.g. CD players and notebooks
- Common 2-band EQ for highs and lows
- Link output for the combination of several amplifier systems
- Jack for external 12V battery operation (e.g. car battery)
- Black plastic enclosure with metal grille and carrying handle
- Operation of the hand-held microphone via 2 x AA batteries (not included)
- Flange for speaker stand installation etc.
- License-free and approved in the EU
- Cordless, flexible and versatile
- Battery operation up to 4h depending on program used
- Control via Bluetooth
- Bluetooth: operating range up to 10m
- Package contents
- 1 x microphone, 1 x remote control

Logistic

EAN / GTIN: 4026397502886 Weight: 7,40 kg Length: 0.32 m Width: 0.32 m Heigth: 0.47 m

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

Technical specifications:

Power supply:	100-240 V AC, 50/60 Hz Or
	12V DC 6000 mA
Power consumption:	40,00 W
Power connection:	Battery/battery pack Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)
Battery pack type:	1 x lead 12 V, 7000 mAh,
Battery pack:	Battery operation up to 4h depending on program used
	Recharging time 4h
Frequency range:	62 - 18000 Hz
Control:	Bluetooth
Range:	Bluetooth: range up to 10m
Carrier frequency:	863,975 MHz
Speaker:	1 x woofer 8"
Type of speaker:	Compact cabinet speaker
Weight:	6,60 kg
Microphone	
Capsule type:	Dynamic
Battery:	2 x Mignon (AA) (not included)
Dimensions:	Length: 26 cm Diameter: Ø 4 cm
Remote control	
Battery:	1 x button cell 3.0 V CR2025 lithium manganese built-in
Amplifier power:	40 W RMS, 60 W max.
Inputs:	
Mic, mono:	combination XLR/6.3 mm jack
Line, mono:	6.3 mm jack
Line, stereo:	stereo RCA and 3.5 mm jack
Output:	
Line, mono:	6.3 mm jack
Speaker system:	
Components:	20 cm woofer (8"), 2.5 cm horn (1")
Maximum SPL:	106 dB
Sensitivity:	90 dB
Wireless microphone:	
Frequency stability:	±0.005 %
RF power output:	10 mW
Polar pattern:	omnidirectional
Bluetooth:	
Carrier frequency:	2.4 GHz

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

Audio player:	
Playback format:	MP3, WMA
Available storage media:	USB devices and SD(HC) cards up to 32 GB
File system:	FAT32