

## EUROLITE Set Dynamic Fog 1200 + fluids

DMX fog machine with 1200 W including 4 different fog fluids

Art. No.: 2000005

GTIN:



**List price: 267.75 €**

incl. 19% VAT.

### Features:

#### EUROLITE Dynamic Fog 1200 Fog Machine

DMX machine with 1200 W power, wireless remote control and timer

- Compact fog machine with high output volume: 340 m<sup>3</sup>/min.
- Ideal for accentuating light and laser beams
- Concentrated and steady fog output
- Control via integrated DMX interface
- Adjustable timer with interval and duration
- Continuous activation via handy transmitter
- DMX interface with 3-pin connectors
- Fan grille with blue LED illumination, switchable
- Operates on standard waterbased fluid
- Removable tank
- Metal housing with movable mounting bracket and safety eyelet
- Output distance: Ca. 4 m
- Can be operated in 1 CH mode
- Controlling by DMX; Wireless remote control; wired remote control
- Is in EUROLITE LED PC-Control 512 software already preprogrammed

### Logistic

#### EUROLITE Smoke Fluid -B2D- Basic 1l

Fog effect with medium density and hang time

- Ready-to-use fog fluid for fog machines
- Recommended use: fine mist for laser and light shows as well as permanently standing fog layers
- Water-based

- Odorless
- Glycerine- and DEG-free composition
- Non-toxic
- Not harmful to health
- Reusable container
- Biodegradable according to OECD 301E/EEC 84/449 C3
- Non-flammable, no transport restriction, no dangerous goods
- Permanent quality control, complying with REACH
- Proven quality
- Made in Germany
- For application areas such as: Wedding/gala; Small lender; Party room; Clubs/dancing school

#### **EUROLITE Smoke Fluid -C2D- Standard 1I**

Long-lasting fog effect with medium density

- Ready-to-use fog fluid for fog machines
- Recommended use: fine mist for laser and light shows as well as permanently standing fog layers
- Water-based
- Odorless
- Glycerine- and DEG-free composition
- Non-toxic
- Not harmful to health
- Reusable container
- Biodegradable according to OECD 301E/EEC 84/449 C3
- Non-flammable, no transport restriction, no dangerous goods
- Permanent quality control, complying with REACH
- Proven quality
- Made in Germany
- For application areas such as: Wedding/gala; Small lender; Party room; Clubs/dancing school

#### **EUROLITE Smoke Fluid -P2D- professional 1I**

Long-lasting fog effect with high density

- Ready-to-use fog fluid for fog machines
- Recommended use: discotheques, indoor stages
- Water-based
- Odorless
- Glycerine- and DEG-free composition
- Non-toxic
- Not harmful to health
- Reusable container
- Biodegradable according to OECD 301E/EEC 84/449 C3
- Non-flammable, no transport restriction, no dangerous goods
- Permanent quality control, complying with REACH
- Proven quality
- Made in Germany
- For application areas such as: Wedding/gala; Small lender; Clubs/dancing school

#### **EUROLITE Smoke Fluid -E2D- extreme 1I**

Extremely long-lasting fog effect with high density

- Ready-to-use fog fluid for fog machines
- Recommended use: large rooms, small open air stages, leak tests in buildings
- Water-based
- Odorless
- Glycerine- and DEG-free composition
- Non-toxic
- Not harmful to health
- Reusable container
- Biodegradable according to OECD 301E/EEC 84/449 C3
- Non-flammable, no transport restriction, no dangerous goods
- Permanent quality control, complying with REACH
- Proven quality

- Made in Germany
- For application areas such as: Small lender; Clubs/dancing school

## Technical specifications:

---

Weight: 11,26 kg

---

### EUROLITE Dynamic Fog 1200 Fog Machine

|                    |   |
|--------------------|---|
| Power supply:      | 230 V AC, 50 Hz   |
| Power consumption: | 1200 W  |
| IP classification: | IP20  |
| Power connection:  | Mains input IEC connector (M) mounting version<br>Power supply cord with safety plug (provided) |
| Battery:           | 1 x 12 V 23AE alkaline manganese built-in   |
| Warm-up time:      | Ca. 3 min   |
| Output volume:     | Ca. 340 m <sup>3</sup> /min   |
| Output distance:   | Ca. 4 m   |
| Tank capacity:     | 2,3 l   |
| Fluid consumption: | Ca. 40 ml/min   |
| DMX channels:      | 1   |
| DMX input:         | 1 x 3-pin XLR (M) mounting version  |
| DMX output:        | 1 x 3-pin XLR (F) mounting version  |
| Control:           | DMX; Wireless remote control; wired remote control; EUROLITE LED PC-Control 512 software        |
| Housing color:     | Black   |
| Heater:            | 1210 W  |
| Carrier frequency: | 433,92 MHz  |
| Color:             | Black   |
| Dimensions:        | Width: 31 cm<br>Depth: 42,5 cm<br>Height: 29 cm   |
| Weight:            | 7,20 kg   |
| Remote control     |   |
| Cable length:      | 3 m   |

### EUROLITE Smoke Fluid -B2D- Basic 1l

|                |                           |
|----------------|---------------------------|
| Type of fluid: | Smoke fluid ready for use |
| Weight:        | 1,00 kg                   |

### EUROLITE Smoke Fluid -C2D- Standard 1l

|                |                           |
|----------------|---------------------------|
| Type of fluid: | Smoke fluid ready for use |
|----------------|---------------------------|

Weight: 1,00 kg

---

**EUROLITE Smoke Fluid -P2D- professional 1l**

Type of fluid: Smoke fluid ready for use

---

Weight: 1,00 kg

---

**EUROLITE Smoke Fluid -E2D- extreme 1l**

Type of fluid: Smoke fluid ready for use

---

Weight: 1,06 kg

---