Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted Illustration only. Actual item may differ from photo

ALUTRUSS Truss set DECOLOCK DQ2 vertical 3.8x2.8x2.4m (WxDxH)

Art. No.: 20000064 GTIN:

The article is no longer in our assortment.

Features:

ALUTRUSS DECOLOCK DQ2-1000 2-way Cross Beam

Universal 2-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look _
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available

CIUTruss


- Made in Europe
- For application areas such as: Shop fitting; trade fair construction; sports centres/gyms; stage; clubs/dancing school; rental; theater; Trade fair and shop fitting; installation
- For further information about this product, please refer to the Data Sheet under "Downloads"
- Package contents
- 1 x connection set

ALUTRUSS DECOLOCK DQ2-2000 2-way Cross Beam

Universal 2-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request

Logistic













- Various versions available
- Made in Europe
- For application areas such as: Shop fitting; trade fair construction; sports centres/gyms; stage; clubs/dancing school; rental; theater; Trade fair and shop fitting; installation
- For further information about this product, please refer to the Data Sheet under "Downloads"
- Package contents
- 1 x connection set

ALUTRUSS DECOLOCK DQ2-PAL31V 3-way Corner 90°

Universal 2-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Direction vertical
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Shop fitting; trade fair construction; sports centres/gyms; stage; clubs/dancing school; rental; theater; Trade fair and shop fitting; installation

Package contents

- 2 x connection set

ALUTRUSS DECOLOCK DQ2-WPM Wall Mounting Plate MALE

- Universal 2-point truss system in lightweight construction
- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Clubs/dancing school; sports centres/gyms; shop fitting; theater; Trade fair and shop fitting; installation; stage

ALUTRUSS DECOLOCK Single Pin

- Trusspipe: 35 mm
- Made in Europe
- For application areas such as: Shop fitting

ALUTRUSS DECOLOCK Safety Pin

- Trusspipe: 35 mm
- Made in Europe
- For application areas such as: Shop fitting

Technical specifications:

Weight:

36,28 kg

ALUTRUSS DECOLOCK DQ2-1000 2-way Cross Beam

Trusspipe:	35 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AIMg 5
Color:	Alu colored; any RAL color available on request
Strut diameter x thickness:	10 x 2mm
Dimensions:	Length: 100 cm
	Width: 22 cm
	Height: 3,50 cm
Weight:	1,35 kg

ALUTRUSS DECOLOCK DQ2-2000 2-way Cross Beam

Trusspipe:	35 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AIMg 5
Color:	Alu colored; any RAL color available on request
Strut diameter x thickness:	10 x 2mm
Dimensions:	Length: 200 cm
	Width: 22 cm
	Height: 3,50 cm
Weight:	3 kg

ALUTRUSS DECOLOCK DQ2-PAL31V 3-way Corner 90°

Trusspipe:	35 mm x 2 mm
Color:	Alu colored; any RAL color available on request
Strut diameter x thickness:	10 x 2mm
Dimensions:	Length: 40 cm
	Width: 40 cm
	Height: 40 cm
Weight:	1,95 kg

ALUTRUSS DECOLOCK DQ2-WPM Wall Mounting Plate MALE

Trusspipe:	35 mm; 35 mm x 2 mm
Color:	Alu colored; any RAL color available on request
Weight:	0,42 kg

ALUTRUSS DECOLOCK Single Pin

Trusspipe:	35 mm
Color:	Alu colored
Weight:	0,01 kg

ALUTRUSS DECOLOCK Safety Pin

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

Trusspipe:	35 mm
Color:	Alu colored
Weight:	0,003 kg