



**The article is no longer in our assortment.**

## Features:

### ALUTRUSS DECOLOCK DQ2-1000 2-way Cross Beam

Universal 2-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Shop fitting; trade fair construction; sports centres/gyms; stage; clubs/dancing school; rental; theater; Trade fair and shop fitting; installation
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### Package contents

- 1 x connection set

## Logistic

### ALUTRUSS DECOLOCK DQ2-2000 2-way Cross Beam

Universal 2-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request

- Various versions available
- Made in Europe
- For application areas such as: Shop fitting; trade fair construction; sports centres/gyms; stage; clubs/dancing school; rental; theater; Trade fair and shop fitting; installation
- For further information about this product, please refer to the Data Sheet under "Downloads"

**Package contents**

- 1 x connection set

### **ALUTRUSS DECOLOCK DQ2-PAL31H 3-way Corner 90°**

Universal 2-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Direction horizontal
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Shop fitting; trade fair construction; sports centres/gyms; stage; rental; theater; Trade fair and shop fitting; installation

**Package contents**

- 2 x connection set

### **ALUTRUSS DECOLOCK DQ2-WPM Wall Mounting Plate MALE**

Universal 2-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Clubs/dancing school; sports centres/gyms; shop fitting; theater; Trade fair and shop fitting; installation; stage

### **ALUTRUSS DECOLOCK Single Pin**

- Trusspipe: 35 mm
- Made in Europe
- For application areas such as: Shop fitting

### **ALUTRUSS DECOLOCK Safety Pin**

- Trusspipe: 35 mm
- Made in Europe
- For application areas such as: Shop fitting

## **Technical specifications:**

---

Weight: 34,48 kg

---

### **ALUTRUSS DECOLOCK DQ2-1000 2-way Cross Beam**

|                             |   |
|-----------------------------|---|
| Trusspipe:                  | 35 mm x 2 mm                                      |
| Welding technique:          | TIG-welding                                       |
| Welding material:           | AlMg 5  |
| Color:                      | Alu colored; any RAL color available on request   |
| Strut diameter x thickness: | 10 x 2mm  |
| Dimensions:                 | Length: 100 cm<br>Width: 22 cm<br>Height: 3,50 cm |
| Weight:                     | 1,35 kg   |

#### **ALUTRUSS DECOLOCK DQ2-2000 2-way Cross Beam**

|                             |   |
|-----------------------------|---|
| Trusspipe:                  | 35 mm x 2 mm                                      |
| Welding technique:          | TIG-welding                                       |
| Welding material:           | AlMg 5  |
| Color:                      | Alu colored; any RAL color available on request   |
| Strut diameter x thickness: | 10 x 2mm  |
| Dimensions:                 | Length: 200 cm<br>Width: 22 cm<br>Height: 3,50 cm |
| Weight:                     | 3 kg  |

#### **ALUTRUSS DECOLOCK DQ2-PAL31H 3-way Corner 90°**

|                             |   |
|-----------------------------|---|
| Trusspipe:                  | 35 mm x 2 mm                                    |
| Color:                      | Alu colored; any RAL color available on request |
| Strut diameter x thickness: | 10 x 2mm  |
| Dimensions:                 | Length: 40 cm<br>Width: 40 cm<br>Height: 40 cm  |
| Weight:                     | 1,5 kg  |

#### **ALUTRUSS DECOLOCK DQ2-WPM Wall Mounting Plate MALE**

|            |   |
|------------|---|
| Trusspipe: | 35 mm; 35 mm x 2 mm                             |
| Color:     | Alu colored; any RAL color available on request |
| Weight:    | 0,42 kg   |

#### **ALUTRUSS DECOLOCK Single Pin**

|            |             |
|------------|-------------|
| Trusspipe: | 35 mm       |
| Color:     | Alu colored |
| Weight:    | 0,01 kg     |

#### **ALUTRUSS DECOLOCK Safety Pin**

|            |             |
|------------|-------------|
| Trusspipe: | 35 mm       |
| Color:     | Alu colored |
| Weight:    | 0,003 kg    |