



## Features:

### ALUTRUSS DECOLOCK DQ2-1000 2-way Cross Beam

Universal 2-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Shop fitting; trade fair construction; sports centres/gyms; stage; clubs/dancing school; rental; theater; Trade fair and shop fitting; installation
- For further information about this product, please refer to the Data Sheet under "Downloads"

### ALUTRUSS DECOLOCK DQ2-2000 2-way Cross Beam

Universal 2-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe

## Logistic

- For application areas such as: Shop fitting; trade fair construction; sports centres/gyms; stage; clubs/dancing school; rental; theater; Trade fair and shop fitting; installation
- For further information about this product, please refer to the Data Sheet under "Downloads"

### **ALUTRUSS DECOLOCK DQ2-PAL31H 3-way Corner 90°**

Universal 2-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Direction horizontal
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Shop fitting; trade fair construction; sports centres/gyms; stage; rental; theater; Trade fair and shop fitting; installation

### **ALUTRUSS DECOLOCK DQ2-WPM Wall Mounting Plate MALE**

Universal 2-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Clubs/dancing school; sports centres/gyms; shop fitting; theater; Trade fair and shop fitting; installation; stage

### **ALUTRUSS DECOLOCK Single Pin**

- Trusspipe: 35 mm
- Made in Europe
- For application areas such as: Shop fitting

### **ALUTRUSS DECOLOCK Safety Pin**

- Trusspipe: 35 mm
- Made in Europe
- For application areas such as: Shop fitting

### **Technical specifications:**

---

Weight: 34.48 kg

---

### **ALUTRUSS DECOLOCK DQ2-1000 2-way Cross Beam**

Trusspipe: 35 mm x 2 mm

---

Welding technique: TIG-welding

---

Welding material: AlMg 5

---

Color:	Alu colored; any RAL color available on request
Strut diameter x thickness:	10 x 2mm
Dimensions:	Length: 100 cm Width: 22 cm Height: 3.50 cm
Weight:	1.35 kg

#### **ALUTRUSS DECOLOCK DQ2-2000 2-way Cross Beam**

Trusspipe:	35 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored; any RAL color available on request
Strut diameter x thickness:	10 x 2mm
Dimensions:	Length: 200 cm Width: 22 cm Height: 3.50 cm
Weight:	3 kg

#### **ALUTRUSS DECOLOCK DQ2-PAL31H 3-way Corner 90°**

Trusspipe:	35 mm x 2 mm
Color:	Alu colored; any RAL color available on request
Strut diameter x thickness:	10 x 2mm
Dimensions:	Length: 40 cm Width: 40 cm Height: 40 cm
Weight:	1.5 kg

#### **ALUTRUSS DECOLOCK DQ2-WPM Wall Mounting Plate MALE**

Trusspipe:	35 mm; 35 mm x 2 mm
Color:	Alu colored; any RAL color available on request
Weight:	0.42 kg

#### **ALUTRUSS DECOLOCK Single Pin**

Trusspipe:	35 mm
Color:	Alu colored
Weight:	0.01 kg

#### **ALUTRUSS DECOLOCK Safety Pin**

Trusspipe:	35 mm
Color:	Alu colored

Weight:

0.003 kg

---

**Scope of delivery:**

---

**2 x ALUTRUSS DECOLOCK DQ2-1000 2-way Cross Beam**

1 x connection set

**8 x ALUTRUSS DECOLOCK DQ2-2000 2-way Cross Beam**

1 x connection set

**4 x ALUTRUSS DECOLOCK DQ2-PAL31H 3-way Corner 90°**

2 x connection set