



### Features:

### Logistic

#### ALUTRUSS BILOCK BQ2-2000 2-way Cross Beam

2-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### ALUTRUSS BILOCK BQ2-2500 2-way Cross Beam

2-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### ALUTRUSS BILOCK BQ2-3000 2-way Cross Beam

2-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm

- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

### **ALUTRUSS BILOCK BQ2-PAL31V 3-way Corner 90°**

2-point truss system

- Low weight
- Easy installation
- Direction vertical
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school

### **ALUTRUSS BILOCK Base Plate BLB male**

- Trusspipe: 50 mm
- Made in Europe

### **ALUTRUSS QUICK-LOCK Spare Pivot with Pin**

QUICK-LOCK set

- Accessories for the robust truss system with QUICK-LOCK
- For use with TRI/QUAD system
- Trusspipe: 50 mm
- Made in Europe

### **Technical specifications:**

---

Weight: 68.97 kg

---

### **ALUTRUSS BILOCK BQ2-2000 2-way Cross Beam**

Setup: Easy installation

---

Trusspipe: 50 mm x 2 mm

---

Welding technique: TIG-welding

---

Welding material: AlMg 5

---

Color: Alu colored

---

Strut diameter x thickness: 16 x 2mm

---

Dimensions: Length: 200 cm  
Width: 29 cm  
Height: 5 cm

---

Weight: 4.89 kg

---

### **ALUTRUSS BILOCK BQ2-2500 2-way Cross Beam**

Setup: Easy installation

---

Trusspipe: 50 mm x 2 mm

---

Welding technique: TIG-welding

---

Welding material: AlMg 5

---

Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 250 cm Width: 29 cm Height: 5 cm
Weight:	5.3 kg

#### **ALUTRUSS BILOCK BQ2-3000 2-way Cross Beam**

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 300 cm Width: 29 cm Height: 5 cm
Weight:	6.22 kg

#### **ALUTRUSS BILOCK BQ2-PAL31V 3-way Corner 90°**

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 50 cm Width: 50 cm Height: 50 cm
Weight:	3.2 kg

#### **ALUTRUSS BILOCK Base Plate BLB male**

Trusspipe:	50 mm
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Weight:	0.65 kg

#### **ALUTRUSS QUICK-LOCK Spare Pivot with Pin**

Trusspipe:	50 mm
Color:	Alu colored
Weight:	0.09 kg

## **Scope of delivery:**

---

### **4 x ALUTRUSS BILOCK BQ2-2000 2-way Cross Beam**

1 x connection set

### **4 x ALUTRUSS BILOCK BQ2-2500 2-way Cross Beam**

1 x connection set

### **2 x ALUTRUSS BILOCK BQ2-3000 2-way Cross Beam**

1 x connection set

### **4 x ALUTRUSS BILOCK BQ2-PAL31V 3-way Corner 90°**

2 x connection set

### **4 x ALUTRUSS QUICK-LOCK Spare Pivot with Pin**

2 x splint

2 x bolt