eurolite®

EUROLITE Set NSF-350 + Smoke Fluid -DSA- 5I

DMX fog machine with 1500 W and LED illumination including 5I Smoke Fluid



List price: 498.61 €

incl. 19% VAT.

Features:

EUROLITE NSF-350 LED Hybrid Spray Fogger

DMX fog machine with 1500 W, LED illumination, vertical fog output

- LED light effect with fog spouter in one device
- Your all-in-one solution with powerful vertical smoke output
- Output nozzle with RGB LED illumination for impressive effect presentations
- Additional button for manual activation
- 21 powerful LEDs 3 W R/G/B
- Color selection; color change adjustable
- Strobe effect
- Output distance: Approx. 6 m
- Control via DMX; stand-alone; wireless remote control
- For application areas such as: Stage; theater; rental
- Preprogrammed in Light'J; LED PC-Control 512; Light Captain
- With level indication
- Operates on water-based fluid
- Removable tank
- Application possibility: Standing
- Package contents
- 1 x device, 1 x user manual, 1 x power cord, 1 x transmitter, 1 x declaration of conformity, 1 x container, 1 x filter, 1 x battery

EUROLITE SMOKE FLUID -DSA- Effect, 5I smoke fluid

Very short-lasting fog effect with extreme density

- Odorless

Logistic

- Glycerine-free composition
- Non-toxic
- Not harmful to health
- Biodegradable according to OECD 301E/EEC 84/449 C3
- Non-flammable, no transport restrictions, no hazardous material
- Permanent quality control
- Proven quality
- Made in Germany
- For application areas such as: Video and photography; theater; product presentations and lectures
- Water-based fluid ready for use

Technical specifications:

Weight:

12,90 kg

EUROLITE NSF-350 LED Hybrid Spray Fogger

| Power supply: | 230 V AC, 50 Hz |
|-----------------------|--|
| Power consumption: | 1500 W |
| IP classification: | IP20 |
| Power connection: | Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided) |
| LED type: | 21 x 3 W R/G/B |
| Warm-up time: | Approx. 5 min |
| Output volume: | Approx. 1130 m ³ /min |
| Output distance: | Approx. 6 m |
| Tank capacity: | 2,5 I water-based fluid removable tank |
| Fluid consumption: | Approx. 95 ml/min |
| DMX channels: | 8 |
| DMX input: | 1 x 3-pin XLR (M) mounting version 1 x 5-pin XLR (M) mounting version |
| DMX output: | 1 x 3-pin XLR (F) mounting version 1 x 5-pin XLR (F) mounting version |
| Control: | DMX; stand-alone; wireless remote control |
| Preprogrammed in: | Light'J; LED PC-Control 512; Light Captain |
| Housing color: | Black |
| Controls: | Low fluid |
| Color: | Black |
| Dimensions: | Width: 41 cm Depth: 63,5 cm Height: 20,5 cm |
| Weight: | 7,90 kg |
| Noise classification: | Class 3 (clearly perceptible sounds) |
| Remote control | |
| Battery: | 1 x 12 V LR27 alkaline manganese built-in |
| Carrier frequency: | 433,920 MHz |

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

EUROLITE SMOKE FLUID -DSA- Effect, 5I smoke fluid

| Container size: | 51 |
|-----------------|---------------------------------|
| Type of fluid: | Water-based fluid ready for use |
| Weight: | 5,00 kg |
| | • |