



**The article is no longer in our assortment.**

### Features:

### Logistic

#### ALUTRUSS TRILOCK 6082-2500 3-way Cross Beam

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### Package contents

- 1 x connection set

#### ALUTRUSS TRILOCK 6082AC-41 4-way Cross

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school

#### Package contents

- 3 x connection set

#### ALUTRUSS TRILOCK 6082AC-25 2-way Corner 90° V

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school

**Package contents**

- 1 x connection set

**ALUTRUSS TRILOCK Base Plate QTG-male**

- Trusspipe: 50 mm
- Made in Europe

**Technical specifications:**

Weight:	106,54 kg
---------	-----------

**ALUTRUSS TRILOCK 6082-2500 3-way Cross Beam**

Setup:	Easy installation
--------	-------------------

Trusspipe:	50 mm x 2 mm
------------	--------------

Welding technique:	TIG-welding
--------------------	-------------

Welding material:	AlMg 5
-------------------	--------

Color:	Alu colored
--------	-------------

Strut diameter x thickness:	16 x 2mm
-----------------------------	----------

Dimensions:	Length: 250 cm
	Width: 29 cm
	Height: 25,70 cm

Weight:	9,80 kg
---------	---------

**ALUTRUSS TRILOCK 6082AC-41 4-way Cross**

Setup:	Easy installation
--------	-------------------

Trusspipe:	50 mm x 2 mm
------------	--------------

Color:	Alu colored
--------	-------------

Strut diameter x thickness:	16 x 2mm
-----------------------------	----------

Dimensions:	Length: 71 cm
	Width: 71 cm
	Height: 25,70 cm

Weight:	8 kg
---------	------

**ALUTRUSS TRILOCK 6082AC-25 2-way Corner 90° V**

Setup:	Easy installation
--------	-------------------

Trusspipe:	50 mm x 2 mm
------------	--------------

Color:	Alu colored
--------	-------------

Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 50 cm Width: 50 cm Height: 29 cm
Weight:	4,10 kg

#### **ALUTRUSS TRILOCK Base Plate QTG-male**

Trusspipe:	50 mm
Color:	Alu colored
Weight:	0,94 kg