# eurolite®

# EUROLITE Set 2x LED TMH-X5 + Case

2x washlight with 12 W COB LEDs including PRO flightcase with wheels

Art. No.: 20000116 GTIN:





## The article is no longer in our assortment.

### Features:

### EUROLITE LED TMH-X5 Moving Head Wash Zoom

Washlight with 19 x 12 W LEDs, 4in1 QCL RGBW-Farbmischung and motorized zoom

- Equipped with 19 x 12 W COB LED with RGBW colors, distributed in 3 segments
- Each segment can be controlled individually via DMX
- Positioning within 540° PAN and 270° TILT
- Stepless RGBW color mixture
- Dimmer
- Dimmer speed (step response) adjustable
- Motorized zoom with 1-55° beam angle
- Color presets
- Different patterns and movements can be selected via DMX
- Strobe effect with adjustable speed
- Automatic position correction
- Exact positioning via 16 bit PAN/TILT movement resolution
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Control board with LCD display for adjusting the DMX-starting address, PAN/TILT Reverse, Reset
- Neutrik PowerCon terminals for power linking up to 8 units
- Switch-mode power supply for operation between 100 and 240 volts
- 19 powerful LEDs 12 W high-power 4in1 QCL RGBW (homogenous color mix)
- Auto position correction (feedback)
- Exact positioning (16 bit resolution)
- Zoom motor driven
- The device is cooled by cooling fan
- Control via DMX; stand-alone; sound to light via microphone
- Preprogrammed in Light'J; LED PC-Control 512; Light Captain

Logistic

- Flicker-free
- With a beam angle of 1° 55° Package contents
- 1 x moving light, 1 x user manual, 1 x power cord, 1 x XLR cable, 2 x omega bracket

#### **ROADINGER Flightcase 2x TMH-X5 with Wheels**

Trunk case with castors, PRO version

- With accessory compartment
- With 2 device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 25mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- 4 x castors with 2 locking brakes
- 4 x built-in stacking trays in the cover
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

### **Technical specifications:**

Weight:

41,60 kg

#### EUROLITE LED TMH-X5 Moving Head Wash Zoom

| Power supply:       | 100-240 V AC, 50/60 Hz  |
|---------------------|---|
| Power consumption:  | 220 W   |
| IP classification:  | IP20  |
| Power connection:   | Mains input via PowerCON (blue), mounting version power supply cord with safety plug (provided) |
| Power output:       | 1 x PowerCON (gray)   |
| Lamp type:          | LED lamp  |
| LED type:           | 19 x 12 W high-power 4in1 QCL RGBW (homogenous color mix)                                       |
| Max. TILT movement: | 270° exact positioning (16 bit resolution) auto position correction (feedback)                  |
| Max. PAN movement:  | 540° exact positioning (16 bit resolution) auto position correction (feedback)                  |
| Equipment:          | Zoom motor driven   |
| DMX channels:       | 20; 28  |
| DMX input:          | 1 x 3-pin XLR (M) mounting version<br>1 x 5-pin XLR (M) mounting version                        |
| DMX output:         | 1 x 3-pin XLR (F) mounting version<br>1 x 5-pin XLR (F) mounting version                        |
| Cooling:            | Cooling fan   |
| Control:            | DMX; stand-alone; sound to light via microphone   |
| Preprogrammed in:   | Light'J; LED PC-Control 512; Light Captain  |
|                     |   |

| Projection:              | Flicker-free  |
|--------------------------|---|
| Beam angle:              | 1° - 55°  |
| Beam angle (1/2 peak):   | 1 - 28°   |
| Beam angle (1/10 peak):  | 6 - 55°   |
| Illuminance in Lux (lx): | Narrow red (R) 3m: 2753 lx, 6m: 699 lx<br>Narrow green (G) 3m: 4727 lx, 6m: 1188 lx<br>Narrow blue (B) 3m: 1159 lx, 6m: 300 lx<br>Narrow cold white (CW) 3m: 6480 lx, 6m: 1678 lx<br>Narrow all 3m: 11980 lx, 6m: 3074 lx |
| Housing color:           | Black   |
| Dimensions:              | Width: 32 cm<br>Depth: 22 cm<br>Height: 44 cm   |
| Weight:                  | 11,10 kg  |
| Legal specifications     |   |
| Special product:         | Not designed for household room illumination  |
| Intended use:            | Show effect lighting  |
|                          |   |

## ROADINGER Flightcase 2x TMH-X5 with Wheels

| Maximum load:            | 50 kg   |
|--------------------------|---|
| Aluminum profile frames: | 25 mm   |
| Case handle:             | 2 pc/pcs  |
| Stop hinge:              | 2 pc/pcs  |
| Lock:                    | Butterfly lock: 2 pc/pcs  |
| Transport aid:           | 4 x castors with 2 locking brakes<br>4 x built-in stacking trays in the cover |
| Use of brands:           | Branded hardware  |
| Material:                | Birch multiplex, 7 mm   |
| Color:                   | Dark brown, laminated   |
| Middle compartment:      | 10,5 cm x 38 cm x 31 cm   |
| Device compartment:      | 38 cm x 31 cm   |
| Inside dimensions:       | 38 cm x 31 cm   |
| Dimensions:              | Width: 76,5 cm  |
|                          | Depth: 42,5 cm  |
|                          | Height: 61 cm   |
| Weight:                  | 19,40 kg  |