



**The article is no longer in our assortment.**

### Features:

#### EUROLITE LED TMH FE-300 Beam/Flower Effect

Handy RGBW moving head flower with rotating lens and 12 W LEDs

- Equipped with 3 x 12 W COB LED in the colors red, green, blue and white
- 11 or 17 DMX channels selectable
- Compact lightweight
- Functions: colored beams in R, G, B and W, color change with diverse settings, built-in program, strobe effect with variable speed, dimmer, sound-control, Master/Slave operation
- Adjustable zoom movement - from narrow single beam to room-filling beams - via rotating lens
- Stepless RGBW color mixture
- Strobe effect with 1-18 flashes per second
- Exact positioning via 16 bit PAN/TILT movement resolution
- Positioning within 540° PAN and 190° TILT
- Automatic position correction
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Control board with 4-digit LED display for adjusting the DMX-starting address, PAN/TILT reverse, program, reset
- Switch-mode power supply for operation between 100 and 240 volts
- Ready for connection with power cord and safety plug
- DMX control via every standard DMX controller
- 3 powerful LEDs 12 W COB (chip-on-board) 4in1 QCL RGBW
- Auto position correction (feedback)
- Exact positioning (16 bit resolution)
- Multi beam effect; beam effect
- The device is cooled by cooling fan
- Control via stand-alone; DMX; sound to light via microphone
- Preprogrammed in Light'J; LED PC-Control 512; Light Captain

### Logistic

- Flicker-free
- With a beam angle of 6,5°

#### **Package contents**

- 1 x omega bracket

### **ROADINGER Flightcase 2x TMH-14/FE-300**

PRO flightcase for 2 x TMH-14/FE-300

- With accessory compartment
- With 2 device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 25mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 1 high-quality butterfly lock
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

### **Technical specifications:**

|         |          |
|---------|----------|
| Weight: | 15,65 kg |
|---------|----------|

### **EUROLITE LED TMH FE-300 Beam/Flower Effect**

|                        |                                                                                                  |
|------------------------|--------------------------------------------------------------------------------------------------|
| Power supply:          | 100-240 V AC, 50/60 Hz                                                                           |
| Power consumption:     | 60 W                                                                                             |
| IP classification:     | IP20                                                                                             |
| Power connection:      | Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided) |
| Lamp type:             | LED lamp                                                                                         |
| LED type:              | 3 x 12 W COB (chip-on-board) 4in1 QCL RGBW                                                       |
| Max. TILT movement:    | 190° exact positioning (16 bit resolution) auto position correction (feedback)                   |
| Max. PAN movement:     | 540° exact positioning (16 bit resolution) auto position correction (feedback)                   |
| Flash rate:            | 1 - 18 Hz                                                                                        |
| DMX channels:          | 11; 17                                                                                           |
| DMX input:             | 1 x 3-pin XLR (M) mounting version                                                               |
| DMX output:            | 1 x 3-pin XLR (F) mounting version                                                               |
| Cooling:               | Cooling fan                                                                                      |
| Control:               | Stand-alone; DMX; sound to light via microphone                                                  |
| Preprogrammed in:      | Light'J; LED PC-Control 512; Light Captain                                                       |
| Projection:            | Flicker-free                                                                                     |
| Beam angle:            | 6,5°                                                                                             |
| Beam angle (1/2 peak): | 6,5°                                                                                             |
| Housing color:         | Black                                                                                            |
| Dimensions:            | Width: 20 cm                                                                                     |

|                      |                                              |
|----------------------|----------------------------------------------|
|                      | Depth: 14,5 cm<br>Height: 28 cm              |
| Weight:              | 3,93 kg                                      |
| Legal specifications |                                              |
| Special product:     | Not designed for household room illumination |
| Intended use:        | Show effect lighting                         |

#### **ROADINGER Flightcase 2x TMH-14/FE-300**

|                          |                                                     |
|--------------------------|-----------------------------------------------------|
| Maximum load:            | 25 kg                                               |
| Aluminum profile frames: | 25 mm                                               |
| Case handle:             | 2 pc/pcs                                            |
| Stop hinge:              | 2 pc/pcs                                            |
| Lock:                    | Butterfly lock: 1 pc/pcs                            |
| Use of brands:           | Branded hardware                                    |
| Material:                | Birch multiplex, 7 mm                               |
| Color:                   | Dark brown, laminated                               |
| Accessory compartment:   | 10,5 cm x 24 cm x 24 cm                             |
| Device compartment:      | 19,5 cm x 24 cm x 24 cm                             |
| Inside dimensions:       | 49,5 cm x 24 cm x 24 cm                             |
| Dimensions:              | Width: 56,5 cm<br>Depth: 28,5 cm<br>Height: 28,5 cm |
| Weight:                  | 7,80 kg                                             |