

## EUROLITE Set 2x LED THA-50F + Case

2x Theater-Spot with fresnel spot including PRO flightcase

Art. No.: 20000163

GTIN:



**The article is no longer in our assortment.**

### Features:

#### EUROLITE LED THA-50F Theatre-Spot

Fresnel spotlight (fresnel lens), 50 W warm white LED, extremely quiet, DMX

- Light impression of a conventional 500 W lamp
- Compact design
- 1 powerful LED 50 W COB (chip-on-board) warm white (WW)
- Dimmer electronic; dimmer curves with adjustable response
- Strobe effect
- The device is cooled by temperature-controlled fan
- Control via DMX
- Preprogrammed in Light´J; Light Captain
- With a beam angle of 7° - 42°
- With mounting bracket

#### Package contents

- 1 x filter frame

### Logistic

#### ROADINGER Flightcase 2x THA-50F

PRO flightcase for 2 x THA-50F

- With accessory compartment
- With 2 device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 25mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 chrome tip-over locks

- 2 high-quality butterfly locks
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

Weight:	23,15 kg
---------	----------

### EUROLITE LED THA-50F Theatre-Spot

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	55 W
IP classification:	IP20
Power connection:	Mains input via PowerCON (blue), mounting version power supply cord with safety plug (provided)
Power output:	1 x PowerCON (gray), mounting version
Lamp type:	LED lamp
LED type:	1 x 50 W COB (chip-on-board) warm white (WW)
DMX channels:	1; 3
DMX input:	1 x 3-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version
Cooling:	Temperature-controlled fan
Control:	DMX
Preprogrammed in:	Light J; Light Captain
Beam angle:	7° - 42°
Beam angle (1/2 peak):	7 - 35°
Beam angle (1/10 peak):	11 - 42°
Color temperature:	3200K
Housing color:	Black
Attachment system:	Mounting bracket
Dimensions:	Length: 33,5 cm Width: 27 cm Height: 28 cm
Weight:	4,70 kg
Noise classification:	Class 2 (slight noise)
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

### ROADINGER Flightcase 2x THA-50F

Maximum load:	50 kg
Aluminum profile frames:	25 mm

Case handle:	2 pc/pcs
Stop hinge:	2 pc/pcs
Lock:	Butterfly lock: 2 pc/pcs
Use of brands:	Branded hardware
Material:	Birch multiplex, 7 mm
Color:	Dark brown, laminated
Accessory compartment:	10 cm x 32,5 cm x 42,5 cm
Device compartment:	21 cm x 32,5 cm x 31,5 cm
Inside dimensions:	32,5 cm x 42,5 cm
Dimensions:	Width: 78,5 cm
	Depth: 42,5 cm
	Height: 52,5 cm
Weight:	13,75 kg