



Features:

- Wireless audio transmission system with UHF PLL technology
- For wireless transmission of audio line and microphone signals with one transmitter and one or more receivers
- Duplex gap 823-832 MHz
- Parallel use of up to 4 transmitters possible
- Compatible with MOM-10BT4 system
- 16 channels selectable
- Audio line input (3.5 mm jack) and microphone input (mini XLR)
- Volume level control
- Operation via 2 batteries or rechargeable batteries size AA
- Built-in charging function via micro USB port with LED indicator
- Supports operation and simultaneous charging
- Robust metal fixing clip
- Incl. USB charging cable and 3.5 mm audio cable
- License-free and approved in large parts of the EU
- Operating range up to 50m
- UHF 823 - 832 MHz License-free and approved in large parts of Europe
- <p>OMNITRONIC WMR-1M UHF-Receiver, mono
- <h2 class="featureSatz">Wireless mono audio transmission system, 823-832 MHz</h2>Wireless audio transmission system with UHF PLL technology
- For wireless transmission of audio line and microphone signals with one transmitter and one or more receivers
- Duplex gap 823-832 MHz
- Compatible with MOM-10BT4 system
- Parallel use of up to 4 transmitters possible
- 16 channels selectable

Logistic

- Audio line output and earphone connection via 3.5 mm jack
- Volume control
- Built-in charging function via micro USB port with LED indicator
- Supports operation and simultaneous charging
- Robust metal fixing clip
- Incl. USB charging cable and 3.5 mm audio cable
- License-free and approved in large parts of the EU (please check on a country-by-country basis)
- Operating range up to 50m
- UHF 823 - 832 MHz License-free and approved in large parts of Europe

Technical specifications:

Weight: 0.62 kg

OMNITRONIC WMT-1M UHF Transmitter, mono

Power supply: 5V DC
3V DC

Power connection: Mains input via micro USB (F) mounting version included
Battery/battery pack

Battery: 2 x Mignon (AA) included

S/N ratio: >90 dB

Range: Range up to 50m

Frequency band: UHF 823 - 832 MHz

Frequency stability: ± 0.01 %

RF power output: 10 mW

Modulation: FM

Frequency selection: 16 switchable frequencies

Pilot frequency: 32.768 kHz

Control elements: Power switch, level control, frequency selector switch

Status LED: Power

Connections: Input: microphone via 1 x mini XLR (M) 3-pin mounting version 1 V
Input: AUX via 1 x 3.5 mm jack (stereo) 3.5 V

Switch: On/off switch

Material: Plastic

Color: Black

Dimensions: Width: 6.7 cm
Depth: 3.0 cm
Height: 11.2 cm

Weight: 0.20 kg

OMNITRONIC WMR-1M UHF-Receiver, mono

Power supply: 5V DC

| | |
|----------------------|--|
| | 3V DC |
| Power connection: | Mains input via micro USB (F) mounting version included Battery/battery pack |
| Battery: | 2 x Mignon (AA) included |
| S/N ratio: | >80 dB |
| Range: | Range up to 50m |
| Frequency band: | UHF 823 - 832 MHz |
| Frequency stability: | ± 0.01 % |
| Modulation: | FM |
| Frequency selection: | 16 switchable frequencies |
| Pilot frequency: | 32.768 kHz |
| Connector type: | 3.5 mm jack (mono) mounting version |
| Control elements: | Level control, power switch, frequency selector switch |
| Status LED: | Signal, power |
| Connections: | Output: line via 1 x 3.5 mm jack (mono) mounting version 1 V Output: headphones via 1 x 3.5 mm jack (stereo) mounting version |
| Switch: | On/off switch |
| Material: | Plastic |
| Color: | Black |
| Dimensions: | Width: 6.7 cm Depth: 3.0 cm Height: 11.2 cm |
| Weight: | 0.21 kg |

Scope of delivery:

1 x OMNITRONIC WMT-1M UHF Transmitter, mono

1 x receiver
1 x jack cable
1 x USB cable
2 x battery
1 x user manual
1 x declaration of conformity

2 x OMNITRONIC WMR-1M UHF-Receiver, mono

1 x receiver
1 x jack cable
1 x USB cable
2 x battery
1 x user manual
1 x declaration of conformity