EUROLITE Set 10x LED Pixel Ball 360° 1m + LED PSU-5A

Art. No.: 20000181

GTIN:

10 Pixel Balls with control units and connector cable - nothing else needed

Features:

- 5 pixels, individually controllable
- 1 m long, flexible string
- Ultra-bright TCL LEDs for smooth RGB color mixing in lightweight, white plastic spheres
- 360° beam angle
- Modular concept allows build-up of large curtains for clubs, stages, shops and various other environments
- Individual control of static colors, RGB color mixture, internal programs, dimmer, strobe, Master/Slave
- Serial connection of 6 strings possible (30 pixels)
- Control of up to 150 pixels per LED PSU-5A Artnet/DMX controller (accessory)
- Control also possible per MADRIX, DMX and Artnet
- Control via stand-alone; Art-Net; DMX
- <p>EUROLITE LED PSU-5A Artnet/DMX
- <h2 class="featureSatz">Control unit for EUROLITE LED Pixel Ball 360° 1m</h2>Create a RGB color mixing curtain with the decorative LED Pixel Ball strings
- For 150 pixels
- Serial connection possible
- Operable in stand-alone mode or via DMX and Art-Net
- Truss installation
- Comfortable addressing and setting via control panel with LCD display
- Built-in functions: static colors, internal programs, dimmer, strobe, Master/Slave, string length selection
- Master/Slave for parallel operation of several devices
- Number of DMX channels (8, 450) selectable for numerous applications
- Ready for connection via included IEC power cord with safety power plug
- Switch-mode power supply for operation between 100 and 240 Volts

Logistic

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

- Feed-through output allows to power up to 8 devices
- Control via stand-alone; Art-Net; DMX
- Fixtures available for LED PC-Control 512

Technical specifications:

Weight:	4.77 kg

EUROLITE LED Pixel Ball 360° 1m

Power consumption:	4 W
Control:	Stand-alone; Art-Net; DMX
Beam angle (1/2 peak):	360°
Dimensions:	Height: 105 cm Diameter: Ø 5 cm
Weight:	0.22 kg
Number of pixels:	5
Pixel configuration:	TCL, SMD 5050 (2 per sphere)
Series connection:	30 pixels
Beam angle:	360°
Dimensions (L x D):	1050 x 50 mm
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

EUROLITE LED PSU-5A Artnet/DMX

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	80 W
Control:	Stand-alone; Art-Net; DMX
Fixtures available for:	LED PC-Control 512
Dimensions:	Length: 100 cm Depth: 7.5 cm Height: 10 cm
Weight:	2.48 kg
Output voltage:	12 V AC
Outputs for pixel strings:	5
Pixel control:	max. 150
Serial connection:	yes
Number of DMX channels:	8/450
DMX connection:	3-pin XLR
Art-Net connection:	RJ45, CAT5e
Dimensions (L x W x H):	1005 x 75 x 100 mm

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

Housing color:	Black
Weight:	0.02 kg

Scope of delivery:

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.