



**The article is no longer in our assortment.**

### Features:

#### EUROLITE LED PMB-4 COB RGB 30W Bar

Bright bar with 4 x 30 W COB LED, good RGB color mixture, wide beam angle

- Equipped with 4 x 30 W COB LED in the colors red, green and blue
- 3, 5, 12 or 15 DMX channels selectable for numerous applications
- Each LED can be controlled individually
- Rugged housing and an appealing design
- Base for standing installation
- Functions: Static colors, RGB color blend, internal programs, dimmer and strobe settings via DMX, Master/Slave
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Sound-control via built-in microphone; sensitivity adjustable
- Comfortable addressing and setting via control panel with LCD display and four operating buttons
- Neutrik powerCON terminals for power linking up to 8 units
- Switch-mode power supply for operation between 100 and 240 volts
- 4 powerful LEDs 30 W COB (chip-on-board) 3in1 TCL RGB (homogenous color mix)
- Strobe effect
- Control via stand-alone; DMX; sound to light via microphone
- Preprogrammed in Light'J; Light Captain
- With a beam angle of 60°
- For further information about this product, please refer to the Data Sheet under "Downloads"

### Logistic

#### ROADINGER Flightcase 2x PMB-4

PRO flightcase for 2 x PMB-4

- Compartments for two PMB-4
- Suitable for EUROLITE LED PMB-4 COB RGB 30W Bar
- High-quality workmanship with multiplex birch wood, dark brown laminated
- Aluminum profile frames (30 mm) with rounded edges
- Interior upholstered with foam
- Three-leg, medium-sized steel ball corners
- 2 hinges
- 1 butterfly lock
- 1 case handle
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

|         |          |
|---------|----------|
| Weight: | 16,30 kg |
|---------|----------|

### EUROLITE LED PMB-4 COB RGB 30W Bar

|                        |   |
|------------------------|---|
| Power supply:          | 230 V AC, 50 Hz   |
| Power consumption:     | 130,00 W  |
| IP classification:     | IP20  |
| Power connection:      | Mains input via PowerCON (blue), mounting version power supply cord with safety plug (provided) |
| Power output:          | 1 x PowerCON (gray), mounting version   |
| Lamp type:             | LED lamp  |
| LED type:              | 4 x 30 W COB (chip-on-board) 3in1 TCL RGB (homogenous color mix)                                |
| Flash rate:            | 0 - 18 Hz   |
| DMX channels:          | 3; 5; 12; 15  |
| DMX input:             | 1 x 3-pin XLR (M) mounting version<br>1 x 5-pin XLR (M) mounting version                        |
| DMX output:            | 1 x 3-pin XLR (F) mounting version<br>1 x 5-pin XLR (F) mounting version                        |
| Control:               | Stand-alone; DMX; sound to light via microphone   |
| Preprogrammed in:      | Light J; Light Captain  |
| Beam angle:            | 60°   |
| Beam angle (1/2 peak): | 60°   |
| Housing color:         | Black   |
| Dimensions:            | Length: 44 cm<br>Depth: 15 cm<br>Height: 16,5 cm  |
| Weight:                | 5,50 kg   |
| Legal specifications   |   |
| Special product:       | Not designed for household room illumination  |
| Intended use:          | Show effect lighting  |

**ROADINGER Flightcase 2x PMB-4**

|                         |   |
|-------------------------|---|
| Maximum load:           | 25 kg   |
| Use of brands:          | Branded hardware                                    |
| Material:               | Birch multiplex, 7 mm                               |
| Color:                  | Dark brown, laminated                               |
| Compartment dimensions: | 18,5 cm x 17 cm x 41 cm                             |
| Inside dimensions:      | 38 cm x 17 cm x 41 cm                               |
| Dimensions:             | Width: 41,5 cm<br>Depth: 20,5 cm<br>Height: 50,5 cm |
| Weight:                 | 5,30 kg   |