



The article is no longer in our assortment.

Features:

EUROLITE LED TMH-9 Moving Head Wash

Compact washlight with 8 W 4in1 LEDs and RGBW color mixing

- Equipped with 7 x 8 W quadcolor LEDs with RGBW colors
- Compact lightweight
- 12 or 4 DMX channels selectable for numerous applications
- Stepless RGBW color mixture
- Color macros can be called up via DMX controller
- Dimmer
- Strobe effect with adjustable speed
- Exact positioning via 16 bit PAN/TILT movement resolution
- PAN-angle switchable between 540°, 360° and 180° (in sound and auto mode)
- TILT-angle switchable between 180° and 90° (in sound and auto mode)
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Sound-controlled via built-in microphone
- Control board with 4-digit LED display and foil-keyboard for adjusting the DMX-starting address, PAN/TILT Reverse, Program, Reset
- 7 powerful LEDs 8 W high-power 4in1 QCL RGBW (homogenous color mix)
- TILT angle switchable between 180° and 90°
- PAN angle switchable between 540° and 360°; and 180°
- Exact positioning (16 bit resolution)
- The device is cooled by cooling fan
- Control via DMX; stand-alone; sound to light via microphone
- Preprogrammed in Light'J; LED PC-Control 512; Light Captain
- With a beam angle of 18°

Package contents

- 1 x omega bracket

Logistic

ROADINGER Flightcase 6x TMH-6/7/8/9

Trunk case, PRO version

- Detachable compartments - case can also be used as universal transport case
- With 6 device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight:	30,20 kg
---------	----------

EUROLITE LED TMH-9 Moving Head Wash

Power supply:	230 V AC, 50 Hz
Power consumption:	50 W
IP classification:	IP20
Power connection:	Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)
Lamp type:	LED lamp
LED type:	7 x 8 W high-power 4in1 QCL RGBW (homogenous color mix)
Max. TILT movement:	180°, 90° exact positioning (16 bit resolution)
Max. PAN movement:	540°, 360° positioning; , 180° exact positioning (16 bit resolution)
DMX channels:	4; 12
DMX input:	1 x 3-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version
Cooling:	Cooling fan
Control:	DMX; stand-alone; sound to light via microphone
Preprogrammed in:	Light 'J'; LED PC-Control 512; Light Captain
Beam angle:	18°
Beam angle (1/2 peak):	18°
Housing color:	Black
Dimensions:	Width: 17,5 cm Depth: 17,5 cm Height: 24,5 cm
Weight:	3,30 kg
Legal specifications	
Special product:	Not designed for household room illumination

Intended use:	Show effect lighting
---------------	----------------------

ROADINGER Flightcase 6x TMH-6/7/8/9

Maximum load:	50 kg
Aluminum profile frames:	30 mm
Case handle:	2 pc/pcs
Stop hinge:	2 pc/pcs
Lock:	Butterfly lock: 2 pc/pcs
Use of brands:	Branded hardware
Material:	Birch multiplex, 7 mm
Color:	Dark brown, laminated
Compartment dimensions:	18 cm x 19,5 cm x 24 cm
Inside dimensions:	57,5 cm x 41 cm x 24,5 cm
Dimensions:	Width: 61,5 cm Depth: 43 cm Height: 33,5 cm
Weight:	10,40 kg