eurolite®

EUROLITE Set 4x LED BAR-252 RGB 10mm 20° white + Case







The article is no longer in our assortment.

Features:

EUROLITE LED BAR-252 RGB 10mm 20° white

LED bar with 252 LEDs

- DMX512 control via regular DMX controller
- Sound-control via built-in microphone
- Stand-alone mode functions adjustable via DIP switches
- Color-change speed and strobe effect adjustable via DIP switches
- Multi-color color-changes
- Master/Slave function
- Ideal for bands, stages or solo entertainers
- Perfect in public places, main halls, lounges
- Illuminants: 252 10 mm LEDs (48 x red, 108 x green and 96 x blue)
- Available in 2 LED beam angles: 20° or 40°
- Advantages of LED technology: long life of the LEDs, low power consumption, minimal heat
- emission, defacto maintenance free with brilliant light radiation
- Strobe effectControl via DMX
- Preprogrammed in LED PC-Control 512
- With a beam angle of 20°

ROADINGER Flightcase 4x LED BAR-252 RGB

Carrying case, PRO version

- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges

Logistic

- Rugged carrying handle
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight:

18,30 kg

EUROLITE LED BAR-252 RGB 10mm 20° white

Power supply:	230 V AC, 50 Hz
Power consumption:	50,00 W
IP classification:	IP20
Lamp type:	LED lamp
DMX channels:	12
Control:	DMX
Preprogrammed in:	LED PC-Control 512
Beam angle:	20°
Beam angle (1/2 peak):	20°
Housing color:	White
Dimensions:	Length: 107 cm Depth: 6,5 cm
	Height: 9 cm
Weight:	2,25 kg
DMX channels:	12
DMX connection:	3-pin XLR
Sound-control:	via built-in microphone
LED number:	252
Beam angle:	20°
Dimensions (L x W x H):	1070 x 65 x 90 mm
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

ROADINGER Flightcase 4x LED BAR-252 RGB

25 kg
30 mm
1 pc/pcs
2 pc/pcs
Butterfly lock: 2 pc/pcs
Branded hardware

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

Material:	Birch multiplex, 7 mm	
Color:	Dark brown, laminated	
Inside dimensions:	106,5 cm x 44 cm x 7,5 cm	
Device compartment:	106,5 cm x 6,5 cm x 7,5 cm	
Dimensions:	Width: 114,5 cm	
	Depth: 47,5 cm	
	Height: 14,5 cm	
Weight:	9,30 kg	