



The article is no longer in our assortment.

Features:

EUROLITE LED BAR-252 RGBA 10mm 20°

Versatile LED-RGBA color changer

- Operable in stand-alone mode or via DMX
- DMX512 control possible via any commercial DMX controller (occupies max.19 channels)
- 4, 6 or 19 DMX channels selectable for numerous applications
- Sound-control via built-in microphone
- Comfortable addressing and setting via control panel with LCD display and four operating buttons
- Functions: Static colors, RGBA color blend, internal programs, dimmer and strobe settings via DMX, Master/Slave
- Equipped with 252 x 10 mm LED
- Locking possibility at the mounting bracket
- Ready for connection with power cord and safety plug
- Available in 2 LED beam angles: 20° or 40°
- Advantages of high-power LED technology: extreme light output, long life, low power consumption, defacto maintenance free with brilliant light radiation
- Strobe effect
- Control via stand-alone; DMX
- Preprogrammed in Light'J; LED PC-Control 512
- With a beam angle of 20°

Logistic

ROADINGER Flightcase 4x LED BAR-252 RGB

Carrying case, PRO version

- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated

- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- Rugged carrying handle
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight:	19,90 kg
---------	----------

EUROLITE LED BAR-252 RGBA 10mm 20°

Power supply:	230 V AC, 50 Hz
---------------	-----------------

Power consumption:	24,00 W
--------------------	---------

IP classification:	IP20
--------------------	------

Lamp type:	LED lamp
------------	----------

DMX channels:	6; 4
---------------	------

Control:	Stand-alone; DMX
----------	------------------

Preprogrammed in:	Light´J; LED PC-Control 512
-------------------	-----------------------------

Beam angle:	20°
-------------	-----

Beam angle (1/2 peak):	20°
------------------------	-----

Housing color:	Black
----------------	-------

Dimensions:	Length: 1,08 m Depth: 6,5 cm Height: 9 cm
-------------	---

Weight:	2,65 kg
---------	---------

DMX channels:	max. 19: 4 / 6 / 19
---------------	---------------------

DMX connection:	3-pin XLR
-----------------	-----------

Sound-control:	via built-in microphone
----------------	-------------------------

LED type:	10 mm
-----------	-------

LED number:	252
-------------	-----

Beam angle:	20°
-------------	-----

Dimensions (L x W x H):	1075 x 65 x 90 mm
-------------------------	-------------------

Legal specifications

Special product:	Not designed for household room illumination
------------------	--

Intended use:	Show effect lighting
---------------	----------------------

ROADINGER Flightcase 4x LED BAR-252 RGB

Maximum load:	25 kg
---------------	-------

Aluminum profile frames:	30 mm
--------------------------	-------

Carrying handle:	1 pc/pcs
------------------	----------

Stop hinge:	2 pc/pcs
Lock:	Butterfly lock: 2 pc/pcs
Use of brands:	Branded hardware
Material:	Birch multiplex, 7 mm
Color:	Dark brown, laminated
Inside dimensions:	1,065 m x 44 cm x 7,5 cm
Device compartment:	1,065 m x 6,5 cm x 7,5 cm
Dimensions:	Width: 1,145 m
	Depth: 47,5 cm
	Height: 14,5 cm
Weight:	9,30 kg