

FUTURELIGHT Set 4x DMB-160 LED Moving-Head + Case

4x PRO beam Moving Head with 150 W COB LED including PRO flightcase with wheels

Art. No.: 20000242

GTIN: 4026397593631



List price: 6543.81 €

incl. 19% VAT.

Features:

FUTURELIGHT DMB-160 LED Moving Head

PRO beam moving-head with 150 W COB LED and many features

- With glass lens
- Extremely high light output
- Very narrow beam angle of 3°
- Upgrade via optional wireless receiver module for WDMX operation (Wireless Solution - made in Sweden)
- Effect wheel with rotating 6-facet linear prism, 8-facet prism and frost filter
- Exact positioning via 16-bit PAN/TILT movement resolution
- Electronic dimmer (0-100%)
- Motorized focus
- Strobe effect with adjustable speed
- Random strobe effect
- Automatic position correction
- PAN angle switchable between 540° and 630°
- ESDC function (Easy Service Data Check) with battery-buffered control board for operation time readouts etc. (the Li-Ion battery 3.7V, AAA, 10440 is not included)
- Control panel with LC display for easy configuration
- Stand-alone, master/slave and DMX mode
- The scenes can be modified via the Control Board or via an external controller and loaded into the memory
- Number of scenes can be changed individually
- Software upload by optional accessories via DMX link
- 1 powerful LED 150 W COB (chip-on-board) cold white (CW)
- Color wheel 14 dichroic filters plus open
Rainbow effect with adjustable speed in both directions

Logistic

EAN / GTIN: 4026397593631

Weight: 132,90 kg

Length: 1.20 m

Width: 0.80 m

Height: 1.30 m

Bulky product

- Gobo wheel with static gobos, 17 gobos and open
shake effect
- Can be operated in 11; 13; 14; 17 CH mode
- The device is cooled by temperature-controlled fan
- Controlling by RDM; DMX; stand-alone; W-DMX by wireless solution upgradeable; Sound to light via Microphone
- Preprogrammed in LED PC-Control 512; Light Captain
- Flicker-free projection
- Effect: Gobo effect
- With a beam angle of 3°
- Multicolor LCD display for easy controlling

ROADINGER Flightcase 4x DMH-90/150/DMB-160/PLB-230

PRO flightcase for 4 x FUTURELIGHT DMH-90/DMH-150/DMB-60/DMB-160/PLB-230/EYE-15

- 4 castors, 2 of which with locking brakes
- For optimal security
- With 4 Device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- 8 hinged, chromium plated case handles
- 2 high-quality butterfly locks
- With castors
- Made in Europe

Technical specifications:

FUTURELIGHT DMB-160 LED Moving Head

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	200 W
IP classification:	IP20
Power connection:	Mains input via PowerCON (blue), mounting version power supply cord with safety plug (provided)
Power output:	1 x PowerCON (gray), mounting version
Lamp type:	LED lamp
LED:	1 x 150 W COB (chip-on-board) cold white (CW)
Max. TILT movement:	Exact positioning (16 bit resolution) 270° Auto position correction (feedback)
Max. PAN movement:	Exact positioning (16 bit resolution) 540° Positioning switchable to 630° Auto position correction (feedback)
Equipment:	Gobo wheel with static gobos; Prism Linear; Prism 8-fold; frost filter; Focus motor-driven
Color generation:	Color wheel 14 dichroic filters plus open
Gobos:	Gobo wheel with static gobos, 17 gobos and open Shake effect
DMX channels:	11; 13; 14; 17
DMX input:	1 x 3-pin XLR (M) mounting version 1 x 5-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version 1 x 5-pin XLR (F) mounting version
Cooling:	Temperature-controlled fan

Control:	RDM; DMX; stand-alone; W-DMX by wireless solution upgradeable; Sound to light via Microphone; LED PC-Control 512; Light Captain
Beam angle:	3°
Beam angle (1/2 peak):	3°
Illuminance in Lux (lx):	Cold white (CW) 3m: 76776 lx, 6m: 18482 lx
Housing color:	Black
Display type:	Multicolor LCD display
Dimensions:	Width: 34,3 cm Depth: 25 cm Height: 42,8 cm
Weight:	15,55 kg
Noise classification:	Class 3 (clearly perceptible sounds)
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

ROADINGER Flightcase 4x DMH-90/150/DMB-160/PLB-230

Maximum load:	100 kg
Aluminum profile frames:	30 mm
Case handles:	8 pc/pcs
Lock:	Butterfly lock: 2 pc/pcs
Transport aid:	Castors
Material:	Birch multiplex, 7 mm
Color:	Dark brown, laminated
Device compartment:	29,5 cm x 27 cm x 41 cm
Middle compartment:	9,5 cm x 54 cm x 46,5 cm
Inside dimensions:	94,5 cm x 56 cm x 46,5 cm
Dimensions:	Width: 1,025 m Depth: 60,5 cm Height: 72 cm
Weight:	41,90 kg