

## EUROLITE Set 4x LED SLS-603 + Case EC-SL4M size M

4x flat spotlight with 5 x 3 W 3in1 LED including practical flightcase

Art. No.: 2000306

GTIN:



**List price: 474.81 €**

incl. 19% VAT.

### Features:

#### EUROLITE LED SLS-603 TCL + UV Floor

Flat spotlight with 5 x 3 W 3in1 LED (RGB) and one 3 W UV LED, incl. IR remote control

- Slim design for space-saving applications
- 5 high-power 3 W RGB LEDs (3in1) and one 3 W UV LED for RGB+UB color mixing
- Built-in auto and music show programs
- Stepless RGB/UV color blend, color change, color fade, dimmer and strobe effect
- Addressing and setting via control panel with 4-digit LED display
- Convenient wireless control via included IR remote control EUROLITE IR-7
- Flat, lightweight ABS housing with rubber feet
- Sits flat on the floor or inside a truss
- DMX and power terminals intelligently designed for easy wiring
- Swivel mounting bracket
- Additional bracket for floor use
- IEC terminals for power linking up to 8 units
- Switch-mode power supply for operation between 100 and 240 volts
- LED: 6 x high-power 3 W 4in1 QCL RGB/UV (homogenous color mix)
- Can be operated in 4; 8 CH mode
- The device is cooled by cooling fan
- Controlling by Stand-alone; DMX; IR remote control; Sound to light via Microphone; Master/slave function
- Is in Light J Software; EUROLITE LED PC-Control 512 software; EASY SHOW; LED EASY OPERATOR DELUXE already preprogrammed
- Effect: UV effect; Strobe effect

### Logistic

## ROADINGER Flightcase EC-SL4M 4x SLS size M

Practical flightcase for 4 SLS spots

- Compartments for four SLS spots
- Suitable for 51915360 EUROLITE LED SLS-7 TCL 7x3W Floor, 51915380 EUROLITE LED SLS-5 QCL 5x5W Floor, 51915382 EUROLITE LED SLS-5 QCL 5x5W Floor NSP, 51915390 EUROLITE LED SLS-5 BCL 5x5W Floor
- High-quality workmanship with 7 mm of wood glued in several layers, black laminated
- Aluminum profile frames (30 mm) with rounded edges
- Interior with black felt cover
- Three-leg, medium-sized steel ball corners
- 2 hinges
- 1 butterfly lock
- 1 case handle
- With 4 rubber feet

## Technical specifications:

---

Weight: 14,06 kg

---

### EUROLITE LED SLS-603 TCL + UV Floor

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	20 W
IP classification:	IP20
Power connection:	Mains input IEC connector (M) mounting version Power supply cord with safety plug (provided)
Power output:	1 x IEC connector (F) mounting version
Lamp type:	LED lamp
LED:	6 x high-power 3 W 4in1 QCL RGB/UV (homogenous color mix)
DMX channels:	4; 8
DMX input:	1 x 3-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version
Cooling:	Cooling fan
Control:	Stand-alone; DMX; IR remote control; Sound to light via Microphone; Master/slave function; Light J Software; EUROLITE LED PC-Control 512 software; EASY SHOW; LED EASY OPERATOR DELUXE
Beam angle:	11°
Beam angle (1/2 peak):	11°
Beam angle (1/10 peak):	28°
Housing color:	Black
Dimensions:	Width: 23 cm Depth: 11 cm Height: 23 cm
Weight:	1,41 kg
Remote control	

---

Battery: 1 x Button cell 3.0 V CR2025 lithium manganese built-in

---

Legal specifications

---

Special product: Not designed for household room illumination

---

intended use: show effect lighting

---

**ROADINGER Flightcase EC-SL4M 4x SLS size M**

Maximum load: 25 kg

---

Material: Glued plywood, 7 mm

---

Color: Dark brown, laminated

---

Compartment dimensions: 11,5 cm x 25 cm x 39 cm

---

Inside dimensions: 49 cm x 25 cm x 39 cm

---

Dimensions: Width: 52,5 cm  
Depth: 28,5 cm  
Height: 44,5 cm

---

Weight: 8,40 kg

---