



### Features:

#### EUROLITE LED Mini D-5 Beam Effect

Mini beam effect with LEDs in R, G, B, and W

- 24 lenses fill the room with moving colorful beams
- Practicle size, easily transportable
- 6 LEDs 3 W high-power R/G/B/W/A
- Color macros changing
- Flower effect
- The device is cooled by passive convection cooling
- Control via stand-alone; sound to light via microphone
- With mounting bracket
- For application areas such as: Party room; decoration
- Very quiet working noise
- Application possibility: Suspended; on stand

#### EUROLITE LED PARTY TCL Spot

Compact spotlight with 12 x 3 W 3in1 R/G/B LED and DMX control

- 12 LEDs 3 W SMD 8072 3in1 R/G/B (homogenous color mix)
- Color change programs; color blend stepless; pulse effect adjustable; Dimmer electronic
- Strobe effect
- Direct color selection for 18 preset colors
- The device is cooled by cooling fan
- Control via stand-alone; DMX; sound to light via microphone
- Flicker-free
- With a beam angle of 17°

### Logistic

- With mounting bracket
- 4 digit 7-segment LED display
- For application areas such as: Decoration; mobile djs / entertainer; party room
- Application possibility: Suspended; on stand

#### **EUROLITE LED Party UV Bar-9**

Simple UV lighting bar with 9 x 1 W ultra violet (UV) LED

- Perfect for decorative and illumination purposes
- Slender housing
- 9 LEDs 1 W high-power ultra violet (UV)
- UV effect
- The device is cooled by passive convection cooling
- Control via on/off switch at cable
- With a beam angle of 30°
- With mounting bracket
- Various versions available
- For application areas such as: Clubs/dancing school; decoration; party room; restaurants, bars and hotels; advertisement/Shop window
- Silent operation
- Application possibility: Suspended; standing

#### **EUROLITE LED Party strobe 36**

Ultra compact party strobe with high-power LEDs

- Stroboscope with 36 white SMD 5050 LEDs
- Perfect for decorations or party rooms
- Smallest dimensions, low weight
- Auto and sound mode selectable
- Built-in microphone with sensitivity control
- Variable flash rate: 1-8 flashes/second
- Low price, portable and user-friendly
- 36 LEDs SMD 5050 cold white (CW)
- Strobe effect
- Control via stand-alone

#### **EUROLITE N-10 Fog Machine black**

400 watt fogger with remote control

- Output distance: Approx. 2 m
- With level indication
- Operates on water-based fluid
- Control via wired remote control
- With mounting bracket
- For application areas such as: Party room; clubs/dancing school; small rental
- Application possibility: Standing; suspended

#### **EUROLITE Smoke Fluid -A2D- Action Smoke Fluid 11**

Fog effect with low density and hang time

- Odorless
- Glycerine- and DEG-free composition
- Non-toxic
- Not harmful to health
- Biodegradable according to OECD 301E/EEC 84/449 C3
- Non-flammable, no transport restrictions, no hazardous material
- Permanent quality control
- Proven quality
- Water-based fluid ready for use
- Made in Europe
- For application areas such as: Wedding/gala/events; small rental; party room; clubs/dancing school

## Technical specifications:

---

Weight: 6.54 kg

---

### EUROLITE LED Mini D-5 Beam Effect

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	20 W
Protection class:	Protection class I
Power connection:	Mains input via IEC connector (M) mounting version power supply cord with safety plug included
Lamp type:	LED lamp
LED type:	6 x 3 W high-power R/G/B/W/A
Cooling:	Passive convection cooling
Control:	Stand-alone; sound to light via microphone
Housing color:	Black
Attachment system:	Mounting bracket
Material:	Metal
Dimensions:	Width: 21 cm Depth: 19.5 cm Height: 20.5 cm
Weight:	1.95 kg
Noise classification:	Class 1 (very slight noise, suitable for noise-sensitive environments)
Cable construction:	3 x 0.75 mm <sup>2</sup> H05VV-F
Cable length:	Approx. 1.2 m
Diameter mounting holes:	1 x Ø11mm
Material:	Metal, 2 mm
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

### EUROLITE LED PARTY TCL Spot

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	10 W
Protection class:	Protection class II
Power connection:	Fixed power supply cord with Euro plug
Cable construction:	2 x 0.75 mm <sup>2</sup> H03VVH2-F
Lamp type:	LED lamp
LED type:	12 x 3 W SMD 8072 3in1 R/G/B (homogenous color mix)
Flash rate:	0.5 - 16 Hz

DMX channels:	5
DMX input:	3-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version
Cooling:	1 x cooling fan
Control:	Stand-alone; DMX; sound to light via microphone
Fixtures available for:	LED PC-Control 512; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE; Light Captain; Light J; Colorchief
Projection:	Flicker-free
PWM frequency:	15700 Hz
Beam angle (1/2 peak):	17°
Beam angle (1/10 peak):	38°
Housing color:	Black
Attachment system:	Mounting bracket
Display type:	4 digit 7-segment LED display
Dimensions:	Width: 15 cm Depth: 9 cm Height: 16 cm
Weight:	0.43 kg
Noise classification:	Class 2 (slight noise)
Diameter mounting holes:	1 x Ø12mm; 2 x Ø8mm
Material:	Metal, 1 mm, painted
Color:	Black, matte
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

### **EUROLITE LED Party UV Bar-9**

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	20 W
Protection class:	Protection class I
Power connection:	Fixed power supply cord with safety plug
Cable length:	Approx. 1 m
Lamp type:	LED lamp
LED type:	9 x 1 W high-power ultra violet (UV)
Cooling:	Passive convection cooling
Control:	On/off switch at cable
Beam angle (1/2 peak):	30°
Wavelength:	398 nm
Housing color:	Black matte
Attachment system:	2x mounting bracket
Material:	Metal
Dimensions:	Length: 50 cm Depth: 6.5 cm Height: 6.5 cm

Weight:	0.66 kg
Noise classification:	Class 0 (no noise at all)
Photobiological safety:	Risk Group 0 at 1 m
Diameter mounting holes:	1 x Ø10mm; 1 x Ø6mm
Material:	Aluminum, 2 mm
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

#### **EUROLITE LED Party strobe 36**

Power supply:	230 V AC, 50 Hz
Power consumption:	12 W
Power connection:	Fixed power supply cord with Euro plug
Cable length:	1 m
Lamp type:	LED lamp
LED type:	36 x SMD 5050 cold white (CW)
Flash rate:	1 - 8 Hz
Control:	Stand-alone
Beam angle (1/2 peak):	80°
Color temperature:	6500K
Dimensions:	Width: 10 cm Depth: 11 cm Height: 10 cm
Weight:	0.20 kg
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

#### **EUROLITE N-10 Fog Machine black**

Power supply:	230 V AC, 50 Hz
Power consumption:	400 W
Power connection:	Mains input via IEC connector (M) mounting version power supply cord with safety plug
Warm-up time:	Approx. 5 min
Output distance:	Approx. 2 m
Tank capacity:	0.3 l water-based fluid fixed tank
Fluid consumption:	Approx. 21 ml/min
Control:	Wired remote control
Housing color:	Black
Attachment system:	Mounting bracket
Heater:	400 W
Controls:	Overheat
Color:	Black
Dimensions:	Width: 14.5 cm Depth: 26.5 cm

	Height: 17 cm
Weight:	1.87 kg
Noise classification:	Class 3 (clearly perceptible sounds)

#### **EUROLITE Smoke Fluid -A2D- Action Smoke Fluid 1l**

Container size:	1 l
Type of fluid:	Water-based fluid ready for use
Weight:	1.00 kg

#### **Scope of delivery:**

##### **1 x EUROLITE LED Mini D-5 Beam Effect**

- 1 x light effect
- 1 x power cord
- 1 x user manual

##### **2 x EUROLITE LED PARTY TCL Spot**

- 1 x light effect
- 1 x mounting bracket
- 2 x knurled screw
- 2 x washer
- 1 x user manual

##### **1 x EUROLITE LED Party UV Bar-9**

- 1 x spotlight
- 2 x mounting bracket
- 1 x user manual

##### **1 x EUROLITE N-10 Fog Machine black**

- 1 x device
- 1 x user manual
- 1 x power cord
- 1 x mounting bracket
- 2 x knurled screw
- 2 x washer
- 1 x filter