# eurolite®

# EUROLITE Set 4x LED SLS-9 Hybrid HCL + Soft Bag

4x flat spotlight with strobe and UV effects, including IR remote control and soft bag







# The article is no longer in our assortment.

## Features:

#### EUROLITE LED SLS-9 Hybrid HCL

Flat spotlight with strobe and UV effects, incl. IR remote control

- Powerful hybrid effect spot, strobe and UV effect in one device
- Flat version requires minimal space when mounting
- 24 powerful LEDs SMD 5050 cold white (CW) (homogenous color mix)
- 1 powerful LED 15 W COB (chip-on-board) 4in1 QCL RGBW (homogenous color mix)
- 9 powerful LEDs 10 W high-power 6in1 HCL RGBWA/UV (homogenous color mix)
- Color macros adjustable; colors preset; program selection; color blend stepless; Dimmer
- electronicStrobe effect; UV effect
- Control via stand-alone; DMX; sound to light via microphone; master/slave function
- Preprogrammed in LED PC-Control 512; Light Captain; Light J
- Flicker-free
- With a beam angle of 16°
- With double bracket
- Mains input and output for power linking up to 8 units
- Package contents
- 1 x remote control

#### EUROLITE SB-18 Soft Bag

Practical soft bag for 4 PRO Pixel Slim PAR-12/ SLS-400

- Made of easy-care nylon
- With Outside pocket
- With dividers

## Logistic

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

- With 5 device compartments
- High-quality workmanship with textile , black
- Interior with foam padding
- 2 carrying straps

# **Technical specifications:**

Weight:

9,00 kg

### EUROLITE LED SLS-9 Hybrid HCL

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	70 W
IP classification:	IP20
Power connection:	Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)
Power output:	1 x IEC connector (F) mounting version
Lamp type:	LED lamp
LED type:	24 x SMD 5050 cold white (CW) (homogenous color mix)
	1 x 15 W COB (chip-on-board) 4in1 QCL RGBW (homogenous color mix)
	9 x 10 W high-power 6in1 HCL RGBWA/UV (homogenous color mix)
Flash rate:	0 - 20 Hz
DMX channels:	2; 6; 14; 26
DMX input:	1 x 3-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version
Control:	Stand-alone; DMX; sound to light via microphone; master/slave function
Preprogrammed in:	LED PC-Control 512; Light Captain; Light'J
Projection:	Flicker-free
Beam angle:	16°
Beam angle (1/2 peak):	16°
	28°
Beam angle (1/10 peak):	39°
	54°
Housing color:	Black
Attachment system:	Double bracket
Dimensions:	Width: 28 cm
	Depth: 12,2 cm
	Height: 28,6 cm
Weight:	2,10 kg
Photobiological safety:	Risk Group 0
Remote control	

Battery:

Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

# EUROLITE SB-18 Soft Bag

2 pc/pcs
Textile
Black
Width: 47 cm
Depth: 24 cm
Height: 30 cm
0,60 kg