

EUROLITE Set 2x LED THA-100F MK2 Theater-Spot + Case

Art. No.: 2000362

2x Fresnel spot, 100 W warm white LED, CRI > 90, quiet, DMX including PRO flightcase

GTIN:



List price: 1172.15 €

incl. 19% VAT.

Features:

EUROLITE LED THA-100F MK2 Theater-Spot

Fresnel spotlight (fresnel lens), 100 W warm white LED, CRI > 90, quiet, DMX

- Operable in stand-alone mode or via DMX
- Comfortable addressing and setting via control panel with LC display and four operating buttons
- Functions: dimmer, strobe effect, Master/Slave operation
- Dimming intensity and dimmer curves adjustable via control panel
- Manually adjustable zoom
- Mounting bracket for installation on a stand or a crossbeam
- With color filter frame
- Optional barndoors available
- CRI of >90
- Color temperature 3200 K
- Neutrik powerCON terminals for power linking up to 8 units
- LED: 1 x COB (chip-on-board) 100 W WW
- Can be operated in 1; 3 CH mode
- The device is cooled by super silent fan
- Controlling by Stand-alone; DMX
- Is in EUROLITE LED PC-Control 512 software already preprogrammed

Logistic

ROADINGER Flightcase 2x LED THA-100F/THA-120PC

PRO flightcase for 2 x THA-100/120

- Fitted for two devices
- Additional accessory compartment
- Compartments upholstered with foam

- High-quality workmanship with birch multiplex, dark brown laminated
- Aluminum profile frames with rounded edges
- Three-leg steel ball corners
- 2 hinges
- 2 chrome butterfly locks
- 2 chrome case handles
- Made in Europe

Technical specifications:

Weight: 26,20 kg

EUROLITE LED THA-100F MK2 Theater-Spot

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	120 W
IP classification:	IP20
Power connection:	Mains input PowerCON (blue), mounting version Power supply cord with safety plug (provided)
Power output:	1 x PowerCON (gray), mounting version
Lamp type:	LED lamp
LED:	1 x COB (chip-on-board) 100 W WW
Color temperature:	3200K
DMX channels:	1; 3
DMX input:	3-pin XLR (M) mounting version 5-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version 5-pin XLR (F) mounting version
Cooling:	Super silent fan
Control:	Stand-alone; DMX; EUROLITE LED PC-Control 512 software
Color rendering index (CRI) more than:	90 Ra
Beam angle:	6 - 46°
Beam angle (1/2 peak):	6 - 31°
Beam angle (1/10 peak):	22 - 46°
Housing color:	Black
Dimensions:	Length: 37 cm Width: 33,5 cm Height: 26,5 cm
Weight:	6,30 kg
Noise classification:	Class 2 (slight noise)
Legal specifications	
Special product:	Not designed for household room illumination
intended use:	show effect lighting

ROADINGER Flightcase 2x LED THA-100F/THA-120PC

Material:	Birch multiplex, 7 mm
Color:	Dark brown, laminated
Accessory compartment:	10 cm x 33 cm x 38 cm
Compartment dimensions:	33 cm x 28,5 cm x 38 cm
Dimensions:	Width: 76 cm Depth: 37 cm Height: 53 cm
Weight:	13,60 kg