


**ALUTRUSS Truss set QUADLOCK 6082 square 7.71x7.71x3.5m (WxDxH)** Art. No.: 2000375

GTIN:



**List price: 10649.31 €**

incl. 19% VAT.

## Features:

### ALUTRUSS QUADLOCK 6082-3000 4-Way Cross Beam

4-point truss system

- Strong EN-AW 6082 alloy for high loads
- High-quality aluminum-tubes with 50 mm in diameter
- Low weight
- Distance center - center: 240 mm
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; Clubs/dancing school

#### Package contents

- 1 x Connection Set

### ALUTRUSS QUADLOCK 6082L-30 3-Way Corner 90°

4-point truss system

- Strong EN-AW 6082 alloy for high loads
- High-quality aluminum-tubes with 50 mm in diameter
- Low weight
- Distance center - center: 240 mm
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; Clubs/dancing school

#### Package contents

## Logistic

- 2 x Connection Set

### **ALUTRUSS QUADLOCK 6082T-35 3-Way T-Piece**

4-point truss system

- Strong EN-AW 6082 alloy for high loads
- High-quality aluminum-tubes with 50 mm in diameter
- Low weight
- Distance center - center: 240 mm
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; Clubs/dancing school

#### **Package contents**

- 2 x Connection Set

### **ALUTRUSS QUADLOCK 6082C-41 4-Way Cross Piece**

4-point truss system

- Strong EN-AW 6082 alloy for high loads
- High-quality aluminum-tubes with 50 mm in diameter
- Low weight
- Distance center - center: 240 mm
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; Clubs/dancing school

#### **Package contents**

- 3 x Connection Set

### **ALUTRUSS QUICK-LOCK Spare Pivot with Pin**

QUICK-LOCK set

- Accessories for the robust truss system with Quick-Lock
- For use with TRI/QUAD system
- Trusspipe: 50 mm
- Made in Europe

### **ALUTRUSS QUADLOCK End Plate QQGP-Male**

- Trusspipe: 50 mm
- Made in Europe

### **Technical specifications:**

---

Weight: 300,04 kg

---

### **ALUTRUSS QUADLOCK 6082-3000 4-Way Cross Beam**

Construction: Easy installation

---

Trusspipe: 50 mm x 2 mm

---

Welding technique: TIG-welding

---

Welding material: AlMg 5

---

Alloy: AlMgSi1 T6

---

Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 3 m Width: 29 cm Height: 29 cm
Weight:	14,2 kg

#### **ALUTRUSS QUADLOCK 6082L-30 3-Way Corner 90°**

Construction:	Easy installation
Trusspipe:	50 mm x 2 mm
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 50 cm Width: 50 cm Height: 50 cm
Weight:	7,95 kg

#### **ALUTRUSS QUADLOCK 6082T-35 3-Way T-Piece**

Construction:	Easy installation
Trusspipe:	50 mm x 2 mm
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 71 cm Width: 50 cm Height: 29 cm
Weight:	5,9 kg

#### **ALUTRUSS QUADLOCK 6082C-41 4-Way Cross Piece**

Construction:	Easy installation
Trusspipe:	50 mm x 2 mm
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 71 cm Width: 71 cm Height: 29 cm
Weight:	10,90 kg

#### **ALUTRUSS QUICK-LOCK Spare Pivot with Pin**

Trusspipe:	50 mm
Color:	Alu colored
Weight:	90 g

**ALUTRUSS QUADLOCK End Plate QQGP-Male**

Trusspipe:	50 mm
Color:	Alu colored
Weight:	1,45 kg